2000 Author Index

ADERA, T.: Use of Comparison Populations for Evaluating the Effectiveness of Hearing Loss Prevention Programs, 11; Time Trends Analysis of Hearing Loss: An Alternative Approach to Evaluating Hearing Loss Prevention Programs, 161

AIZENBERG, V.: Performance Characteristics of the Button Personal Inhalable Aerosol Sampler, 398

ALEXANDER, William: Airborne Aldehydes from Heating Rosin Core Solder and Liquid Rosin Flux to Soldering Temperatures, 95

AMIR, C.: Use of Comparison Populations for Evaluating the Effectiveness of Hearing Loss Prevention Programs, 11; Time Trends Analysis of Hearing Loss: An Alternative Approach to Evaluating Hearing Loss Prevention Programs, 161

ANDERSON, Dennis: Permeation of Substituted Silanes and Siloxanes Through Selected Gloves and Protective Clothing, 7092:00 PM 10/26/00

ANDERSON, L.: Use of Comparison Populations for Evaluating the Effectiveness of Hearing Loss Prevention Programs, 11; Time Trends Analysis of Hearing Loss: An Alternative Approach to Evaluating Hearing Loss Prevention Programs, 161

ANTLEY, Jeffrey T.: An Automated System for Producing Uniform Surface Deposits of Dry Particles, 669

ATTERBURY, Margaret: Exertion and Body Discomfort Perceived Symptoms Associated with Carpentry Tasks: an On-Site Evaluation, 685

BANTON, Marcy I.: Evaluation of Odor and Sensory Irritation Thresholds for Methyl Isobutyl Ketone in Humans, 340

BARON, P.A.: Performance Characteristics of the Button Personal Inhalable Aerosol Sampler, 398

BARREGÅRD, Lars: Within-Day Variability of Magnetic Fields Among Electric Utility Workers: Consequences for Measurement Strategies, 31

BATTERMAN, Stuart A.: Autocorrelation and Variability of Indoor Air Quality Measurements, 658

BAUER, Emily: Computer Users' Postures and Associations with Workstation Characteristics, 223

BECK, Steve W.: Multisorbent Tubes for Collecting Volatile Organic Compounds in Spacecraft Air, 69

BEMGÅRD, Agneta: Construction and Evaluation of an Aerosol Generating Apparatus for Combustion Products from Polyurethane Foam, 166

BETSINGER, G.: Occupational Health and Safety in Household Hazardous Waste Management Facilities, 575

BÉGIN, Denis: A Study on the Substitution of Trichloroethylene as a Spot Remover in the Textile Industry, 431

BHATTACHARYA, Amit: Exertion and Body Discomfort Perceived Symptoms Associated with Carpentry Tasks: an On-Site Evaluation, 685

BIGELOW, Philip L.: Field Evaluation of a Portable Photoionization Detector for Assessing Exposure to Solvent Mixtures, 268

BISHOP, Phillip A.: Effects of Carbohydrate-Electrolyte Content of Beverages on Voluntary Hydration in a Simulated Industrial Environment, 692

BISWAS, Pratim: Mechanistic Understanding of Aerosol Emissions from a Brazing Operation, 351

BOENIGER, Mark F.: Comparison of Solvents for Removing Pesticides from Skin Using an In Vitro Porcine Model, 82

BOFFETTA, Paolo: Literature Review of Levels and Determinants of Exposure to Potential Carcinogens and Other Agents in the Road Construction Industry, 715

BOLSTAD-JOHNSON, Dawn M.: Characterization of Firefighter Exposures During Fire Overhaul, 636

BOWERBANK, Christopher R.: Airborne Aldehydes from Heating Rosin Core Solder and Liquid Rosin Flux to Soldering Temperatures, 95

BROSSEAU, L.M.: Occupational Health and Safety in Household Hazardous Waste Management Facilities, 575

BROWN, Mary E.: Effects of Various Treatments on the Quantitative Recovery of Endotoxin from Water-Soluble Metalworking Fluids, 517

BUCHAN, Roy M.: Field Evaluation of a Portable Photoionization Detector for Assessing Exposure to Solvent Mixtures, 268

BURGESS, Jefferey L.: Characterization of Firefighter Exposures During Fire Overhaul, 636

BURROUGHS, G. Edward: Mist Control at a Machining Center, Part 2: Mist Control Following Installation of Air Cleaners, 282

BURSTYN, Igor: Literature Review of Levels and Determinants of Exposure to Potential Carcinogens and Other Agents in the Road Construction Industry, 715

BYE, Erik: Hazardous Peak Concentrations of Hydrogen Sulfide Gas Related to the Sewage Purification Process, 107

CAIN, J.R.: Air Movement Visualization in the Workplace: Current Methods and New Approaches, 51

CAMPBELL, Jerry L.: Comparison of Solvents for Removing Pesticides from Skin Using an In Vitro Porcine Model, 82

CARETTI, David M.: Communication Using a Telephone While Wearing a Respirator, 264

CARTER, Stephanie: Urinary Fluoride as an Exposure Index in Aluminum Smelting, 89

CASSINELLI, Mary Ellen: Determination of Airborne Isocyanate Exposure: Considerations in Method Selection, 544

CHAM, Rakié: The Influence of Flooring on Standing Comfort and Fatigue, 700

CHAN, Wenyaw: Long-Term Trends in Exposures to Nickel Aerosols, 324

CHANG, Chung-Chi: Long-Term Trends in Exposures to Nickel Aerosols, 324

CHEN, Yi-Lang: Optimal Lifting Techniques Adopted by Chinese Men when Determining Their Maximum Acceptable Weight of Lift, 642

CHIOU, Shiow-yi: Evaluation of Workers' Perceived Sense of Slip and Effect of Prior Knowledge of Slipperiness During Task Performance on Slippery Surfaces, 492

CHOE, Kyoo: Release of Lead-Containing Particles from a Wall Enclosure, 743

CHRISTENSEN, Margaret: Mycobacterial Contamination of Metalworking Fluids: Involvement of a Possible New Taxon of Rapidly Growing Mycobacteria, 205

CHRISTIANI, David C.: Fatal Occupational Injuries in the Construction Industry of a New Development Area in East China, 1991 to 1997, 733

CLAPP, Anthony J.: Effects of Carbohydrate-Electrolyte Content of Beverages on Voluntary Hydration in a Simulated Industrial Environment, 692

COHEN, Howard J.: Particle Size Characterizations of Copper and Zinc Oxide Exposures of Employees Working in a Nonferrous Foundry Using Cascade Impactors, 422

COHEN, Marty: Urinary Fluoride as an Exposure Index in Aluminum Smelting, 89

COHEN, Susan: Computer Users' Postures and Associations with Workstation Characteristics, 223

COLMSJÖ, Anders: Construction and Evaluation of an Aerosol Generating Apparatus for Combustion Products from Polyurethane Foam, 166

COLTON, Craig E.: How Protective Are Respirator Assigned Protection Factors: An Uncertainty Analysis, 388

CONNOR, Thomas H.: A Comparison of Methods for Determining Lead Content in Drinking Water: A Portable Anodic Stripping Voltammetry Instrument Method versus the Standard EPA 239.2 Method, 557

COREY, Paul N.: An Evaluation of 24-Hour Urinary Creatinine Excretion for Use in Identification of Incomplete Urine Collections and Adjustment of Absorbed Dose of Pesticides, 649

CORMIER, Yvon: Influence of Building Maintenance, Environmental Factors, and Seasons on Airborne Contaminants of Swine Confinement Buildings, 56; Assessment of Particulates and Bioaerosols in Eastern Canadian Sawmills, 727

COTEY, Michael: Urinary Fluoride as an Exposure Index in Aluminum Smelting, 89

COUCH, Margaret W.: Carbonless Copy Paper: A Review of Its Chemical Components and Health Hazards, 214

COURTNEY, Theodore K.: Fatal Occupational Injuries in the Construction Industry of a New Development Area in East China, 1991 to 1997, 733

COY, James D.: Field Evaluation of a Portable Photoionization Detector for Assessing Exposure to Solvent Mixtures, 268

COYNE, Karen M.: Effect of External Dead Volume on Performance While Wearing a Respirator, 678

CROUCH, K.G.: A Long-Term Study of the Development of N, 753

CRUTCHFIELD, Clifton D.: Characterization of Firefighter Exposures During Fire Overhaul, 636

DALTON, Pamela H.: Evaluation of Odor and Sensory Irritation Thresholds for Methyl Isobutyl Ketone in Humans, 340

D'ARCY, James B.: Mist Generation at a Machining Center, 22

DAVIES, Hugh W.: Exposure to Dust, Resin Acids, and Monoterpenes in Softwood Lumber Mills, 521

DEMERS, Paul A.: Exposure to Dust, Resin Acids, and Monoterpenes in Softwood Lumber Mills, 521

DEYE, Gregory J.: Mist Control at a Machining Center, Part 1: Mist Characterization, 275

DILKS, Daniel D.: Evaluation of Odor and Sensory Irritation Thresholds for Methyl Isobutyl Ketone in Humans, 340

DILLON, Robin: An Analysis of the Implications of a Magnetic Field Threshold Limit Value on Utility Work Practices, 76

DIMOV, Mina: Exertion and Body Discomfort Perceived Symptoms Associated with Carpentry Tasks: an On-Site Evaluation, 685

DROLET, Daniel: A Study on the Substitution of Trichloroethylene as a Spot Remover in the Textile Industry, 431

DROWN, David B.: Airborne Aldehydes from Heating Rosin Core Solder and Liquid Rosin Flux to Soldering Temperatures, 95

DUCHAINE, Caroline: Assessment of Particulates and Bioaerosols in Eastern Canadian Sawmills, 727

EDUARD, Wijnand: Hazardous Peak Concentrations of Hydrogen Sulfide Gas Related to the Sewage Purification Process, 107

EDWARDS, Alicia: Computer Users' Postures and Associations with Workstation Characteristics, 223

EITEMAN, Mark A.: Comparison of Solvents for Removing Pesticides from Skin Using an In Vitro Porcine Model, 82

EMERY, Robert J.: A Comparison of Methods for Determining Lead Content in Drinking Water: A Portable Anodic Stripping Voltammetry Instrument Method versus the Standard EPA 239.2 Method, 557

FALLON-CARINE, Jeanne: Permeation of Substituted Silanes and Siloxanes Through Selected Gloves and Protective Clothing, 709

FENG, Amy: Effects of Various Treatments on the Quantitative Recovery of Endotoxin from Water-Soluble Metalworking Fluids, 517

FREUND, Alice: Short-Term Efficacy of Back Injury Intervention Project for Patient Care Providers at One Hospital, 290

FRIEDMAN, Warren: Release of Lead-Containing Particles from a Wall Enclosure, 743

FU, Hua: Fatal Occupational Injuries in the Construction Industry of a New Development Area in East China, 1991 to 1997, 733

FUKUHARA, Isamu: Protection of Breathing Zone by Uniform Velocity Blowing, 568

GANGLOFF, Harry J.: Limitations in Application of Spearman's Rank Correlation to Bioaerosol Sampling Data, 362

GENTRY, Eileen: Computer Users' Postures and Associations with Workstation Characteristics, 223

GERKIN, Richard: Characterization of Firefighter Exposures During Fire Overhaul, 636

GERR, Fredric: Computer Users' Postures and Associations with Workstation Characteristics, 223

GIULIANI, Franco: Infrared Radiation Exposure in Traditional Glass Factories, 5

GOLDEN, J.: Occupational Health and Safety in Household Hazardous Waste Management Facilities, 575

GREATHOUSE, Lisa: Exertion and Body Discomfort Perceived Symptoms Associated with Carpentry Tasks: an On-Site Evaluation, 685

GRIMARD, Yan: Influence of Building Maintenance, Environmental Factors, and Seasons on Airborne Contaminants of Swine Confinement Buildings, 56

GÉRIN, Michel: A Study on the Substitution of Trichloroethylene as a Spot Remover in the Textile Industry, 431

GRINSHPUN, S.A.: Performance Characteristics of the Button Personal Inhalable Aerosol Sampler, 398

GRINSHPUN, Sergey: Release of Lead-Containing Particles from a Wall Enclosure, 743

GROENEVELD, F.R.: Formation of Phosgene During Welding Activities in an Atmosphere Containing Chlorinated Hydrocarbons, 539

HAHNE, Rolf M.A.: Evaluation of the Cost-Effectiveness of Various Passive Monitors and Active Monitors for Industrial Hygiene Sampling, 64

HARNEY, Joshua: Release of Lead-Containing Particles from a Wall Enclosure, 743

HARPER, Sharon L.: An Automated System for Producing Uniform Surface Deposits of Dry Particles, 669

HARRIS, Shelley A.: An Evaluation of 24-Hour Urinary Creatinine Excretion for Use in Identification of Incomplete Urine Collections and Adjustment of Absorbed Dose of Pesticides, 649

HEITBRINK, William A.: Mist Control at a Machining Center, Part 2: Mist Control Following Installation of Air Cleaners, 282

HELDAL, Kari: Hazardous Peak Concentrations of Hydrogen Sulfide Gas Related to the Sewage Purification Process, 107

JAMES, John T.: Multisorbent Tubes for Collecting Volatile Organic Compounds in Spacecraft Air, 69

JAYCOX, Larry B.: Development of a Versatile Method for the Detection of Nicotine in Air, 469

JAYJOCK, Michael A.: How Protective Are Respirator Assigned Protection Factors: An Uncertainty Analysis, 388

JOHANSSON, Rolf: Construction and Evaluation of an Aerosol Generating Apparatus for Combustion Products from Polyurethane Foam, 166

JOHNSON, Arthur T.: Effect of External Dead Volume on Performance While Wearing a Respirator, 678

JOHNSON, Diane M.: Benzene and Total Hydrocarbon Exposures in the Upstream Petroleum Oil and Gas Industry, 255

JOHNSON, Monique M.: Effect of External Dead Volume on Performance While Wearing a Respirator, 678

JOHNSTON, O.E.: A Long-Term Study of the Development of N, 753

JONES, Wendy: Computer Users' Postures and Associations with Workstation Characteristics, 223

JONSSON, Per: Within-Day Variability of Magnetic Fields Among Electric Utility Workers: Consequences for Measurement Strategies, 31

JUNTARAWIJIT, Chudchawal: Determination of Carbon Monoxide with a Modified Zeolite Sorbent and Methanization-Gas Chromatography, 410

KAUFMAN, Joel: Urinary Fluoride as an Exposure Index in Aluminum Smelting, 89

KELSH, Michael A.: The Impact of Work Environment, Utility, and Sampling Design on Occupational Magnetic Field Exposure Summaries, 174

KENNEDY, Susan M.: Exposure to Dust, Resin Acids, and Monoterpenes in Softwood Lumber Mills, 521

KERBEL, William: Review of Legionnaires' Disease, 738

KEY-SCHWARTZ, Rosa J.: Determination of Airborne Isocyanate Exposure: Considerations in Method Selection, 544

KEYSERLING, W. Monroe: Workplace Risk Factors and Occupational Musculoskeletal Disorders, Part 2: A Review of Biomechanical and Psychophysical Research on Risk Factors Associated with Upper Extremity Disorders, 231

KHEIFETS, Leeka: The Impact of Work Environment, Utility, and Sampling Design on Occupational Magnetic Field Exposure Summaries, 174

KIM, Chy Nyun: Effect of Temperature on the Breakthrough of a Charcoal Tube During Vinyl Chloride Monomer Sampling, 405

KRAKE, Ann M.: Development of a Versatile Method for the Detection of Nicotine in Air, 469

KROMHOUT, Hans: Within-Day Variability of Magnetic Fields Among Electric Utility Workers: Consequences for Measurement Strategies, 31

KULMALA, Ilpo: Experimental Validation of Potential and Turbulent Flow Models for a Two-Dimensional Jet Enhanced Exhaust Hood, 183

LAUSTED, Christopher G.: Effect of External Dead Volume on Performance While Wearing a Respirator, 678

LEE, Keith L.: Stability of Methylene Chloride Spiked Passive Samplers: An International Shipping and Transportation Study, 394

LEE, Milton L.: Airborne Aldehydes from Heating Rosin Core Solder and Liquid Rosin Flux to Soldering Temperatures, 95

LEE, Sang Hoe: Effect of Temperature on the Breakthrough of a Charcoal Tube During Vinyl Chloride Monomer Sampling, 405

LEMASTERS, Grace: Exertion and Body Discomfort Perceived Symptoms Associated with Carpentry Tasks: an On-Site Evaluation, 685

LEUNG, Victor: Exposure to Dust, Resin Acids, and Monoterpenes in Softwood Lumber Mills, 521

LI, Shou-Nan: Evaluation of Six Inhalable Aerosol Samplers, 506

LIANG, You-xin: Fatal Occupational Injuries in the Construction Industry of a New Development Area in East China, 1991 to 1997, 733

LIM, Nam Gu: Effect of Temperature on the Breakthrough of a Charcoal Tube During Vinyl Chloride Monomer Sampling, 405

LIMERO, Thomas F.: Multisorbent Tubes for Collecting Volatile Organic Compounds in Spacecraft Air, 69

LODEWYCKX, P.: The Influence of Humidity on the Overall Mass Transfer Coefficient of the Wheeler-Jonas Equation, 461; Estimating the Overall Mass Transfer Coefficient k, 501

LUNDGREN, Dale A.: Evaluation of Six Inhalable Aerosol Samplers, 506

LUOMA, Marianna: Autocorrelation and Variability of Indoor Air Quality Measurements, 658

LYNCH, Richard M.: Short-Term Efficacy of Back Injury Intervention Project for Patient Care Providers at One Hospital, 290

MANSFIELD, Edward R.: Effects of Carbohydrate-Electrolyte Content of Beverages on Voluntary Hydration in a Simulated Industrial Environment, 692

MARCUS, Michele: Computer Users' Postures and Associations with Workstation Characteristics, 223

MARTENS, Sara R.: Stability of Methylene Chloride Spiked Passive Samplers: An International Shipping and Transportation Study, 394

MATNEY, Marilyn L.: Multisorbent Tubes for Collecting Volatile Organic Compounds in Spacecraft Air, 69

MAYNARD, A.: Air Movement Visualization in the Workplace: Current Methods and New Approaches, 51

MCALLISTER, Gary: Monitoring Effluents from an Air Toxic Control Device Using Continuous Nonmethane Organic Carbon Analyzer, 16

MCGARVEY, Linda J.: The Effects of Adsorption on the Reusability of Tedlar® Air Sampling Bags, 375

MCGLOTHLIN, J.D.: A Long-Term Study of the Development of N, 753

MCLEAN, James D.: Benzene and Total Hydrocarbon Exposures in the Upstream Petroleum Oil and Gas Industry, 255

MELIN, Jens: Construction and Evaluation of an Aerosol Generating Apparatus for Combustion Products from Polyurethane Foam, 166

MILLAR, J. Donald: Review of Legionnaires' Disease, 738

MIRZA, Touseef: A Study on the Substitution of Trichloroethylene as a Spot Remover in the Textile Industry, 431

MITRA, Somenath: Monitoring Effluents from an Air Toxic Control Device Using Continuous Nonmethane Organic Carbon Analyzer, 16

MOORE, J. Steven: Mycobacterial Contamination of Metalworking Fluids: Involvement of a Possible New Taxon of Rapidly Growing Mycobacteria, 205

MÉRIAUX, Anne: Assessment of Particulates and Bioaerosols in Eastern Canadian Sawmills, 727

MULLINS, H.E.: Measuring Performance of a Half-Mask Respirator in a Styrene Environment, 415

NASH, Donald R.: Mycobacterial Contamination of Metalworking Fluids: Involvement of a Possible New Taxon of Rapidly Growing Mycobacteria, 205

NELSON, Gary O.: Permeation of Substituted Silanes and Siloxanes Through Selected Gloves and Protective Clothing, 709

NELSON, Thomas J.: How Protective Are Respirator

Assigned Protection Factors: An Uncertainty Analysis, 388

NICAS, Mark: Regulating the Risk of Tuberculosis Transmission Among Health Care Workers, 334; Markov Modeling of Contaminant Concentrations in Indoor Air, 484

NIEUWENHUIZEN, M.S.: Formation of Phosgene During Welding Activities in an Atmosphere Containing Chlorinated Hydrocarbons, 539

NOTHSTEIN, Greg L.: Evaluation of the Cost-Effectiveness of Various Passive Monitors and Active Monitors for Industrial Hygiene Sampling, 64

O'CONNOR, Paula Fey: Determination of Airborne Isocyanate Exposure: Considerations in Method Selection, 544

OLLILA-GLENN, Nancy: Exertion and Body Discomfort Perceived Symptoms Associated with Carpentry Tasks: an On-Site Evaluation, 685

ORTIZ, Daniel: Computer Users' Postures and Associations with Workstation Characteristics, 223

PAIK, Nam Won: Reduction of Hexavalent Chromium Collected on PVC Filters, 563

PANG, Thomas W.S.: Precision and Accuracy of Asbestos Fiber Counting by Phase Contrast Microscopy, 529

PARK, Jeongim: Personal Monitoring Instrument for the Selective Measurement of Multiple Organic Vapors, 192

PARK, Yun Jung: Effect of Temperature on the Breakthrough of a Charcoal Tube During Vinyl Chloride Monomer Sampling, 405

PARNELL, James O.: Field Evaluation of a Portable Photoionization Detector for Assessing Exposure to Solvent Mixtures, 268

PEDERSEN, David H.: Industrial Responses to Constrained OSHA Regulation, 381

PENDERGRASS, Stephanie M.: Development of a Versatile Method for the Detection of Nicotine in Air, 469

PINTO, Iole: Infrared Radiation Exposure in Traditional Glass Factories, 5

POOVEY, Halet G.: Determination of Carbon Monoxide with a Modified Zeolite Sorbent and Methanization-Gas Chromatography, 410

POWERS, Brian J.: Particle Size Characterizations of Copper and Zinc Oxide Exposures of Employees Working in a Nonferrous Foundry Using Cascade Impactors, 422

PRIANTE, Stephen J.: Permeation of Substituted Silanes and Siloxanes Through Selected Gloves and Protective Clothing, 709

PURDHAM, James T.: An Evaluation of 24-Hour Urinary Creatinine Excretion for Use in Identification of Incomplete Urine Collections and Adjustment of Absorbed Dose of Pesticides, 649

PUSKAR, Mark A.: Stability of Methylene Chloride Spiked Passive Samplers: An International Shipping and Transportation Study, 394

RAJAN, B.: Air Movement Visualization in the Workplace: Current Methods and New Approaches, 51

RANDO, Roy J.: Determination of Carbon Monoxide with a Modified Zeolite Sorbent and Methanization-Gas Chromatography, 410

REDFERN, Mark S.: The Influence of Flooring on Standing Comfort and Fatigue, 700

REH, Christopher M.: Determination of Airborne Isocyanate Exposure: Considerations in Method Selection, 544

ROGERS, John: Chronic Beryllium Disease and Beryllium Sensitization at Rocky Flats: A Case-Control Study, 244

ROH, Jachoon: Effect of Temperature on the Breakthrough of a Charcoal Tube During Vinyl Chloride Monomer Sampling, 405

ROVELL-RIXX, David: Evaluation of Six Inhalable Aerosol Samplers, 506

SAHOTA, Manjit S.: Effect of External Dead Volume on Performance While Wearing a Respirator, 678

SASS-KORTSAK, Andrea M.: An Evaluation of 24-Hour Urinary Creatinine Excretion for Use in Identification of Incomplete Urine Collections and Adjustment of Absorbed Dose of Pesticides, 649

SAVELY, Susanne M.: A Comparison of Methods for Determining Lead Content in Drinking Water: A Portable Anodic Stripping Voltammetry Instrument Method versus the Standard EPA 239.2 Method, 557

SCHLECHT, Paul C.: Determination of Airborne Isocyanate Exposure: Considerations in Method Selection, 544

SCHMIDT, Charles J.: Carbonless Copy Paper: A Review of Its Chemical Components and Health Hazards, 214

SCOTT, William H.: Effect of External Dead Volume on Performance While Wearing a Respirator, 678

SEIXAS, Noah S.: Urinary Fluoride as an Exposure Index in Aluminum Smelting, 89

SHELTON, Brian: Mycobacterial Contamination of Metalworking Fluids: Involvement of a Possible New Taxon of Rapidly Growing Mycobacteria, 205; Review of Legionnaires' Disease, 738

SHIN, Yong Chul: Reduction of Hexavalent Chromium Collected on PVC Filters, 563

SHORTEN, Charles V.: The Effects of Adsorption on the Reusability of Tedlar® Air Sampling Bags, 375

SISTO, Renata: Infrared Radiation Exposure in Traditional Glass Factories, 5

SMITH, J.: Performance Characteristics of the Button Personal Inhalable Aerosol Sampler, 398

SMITH, Joe F.: Effects of Carbohydrate-Electrolyte Content of Beverages on Voluntary Hydration in a Simulated Industrial Environment, 692

SMITH, Mary Alice: Comparison of Solvents for Removing Pesticides from Skin Using an In Vitro Porcine Model, 82

SMITH, Philip A.: Airborne Aldehydes from Heating Rosin Core Solder and Liquid Rosin Flux to Soldering Temperatures, 95

SMITH, Robert: The Impact of Work Environment, Utility, and Sampling Design on Occupational Magnetic Field Exposure Summaries, 174

SOLBERG, Mark: Airborne Aldehydes from Heating Rosin Core Solder and Liquid Rosin Flux to Soldering Temperatures, 95

SONG, Jae Suk: Effect of Temperature on the Breakthrough of a Charcoal Tube During Vinyl Chloride Monomer Sampling, 405

SOROCK, Gary S.: Fatal Occupational Injuries in the Construction Industry of a New Development Area in East China, 1991 to 1997, 733

SPENCE, Mark W.: Evaluation of the Cost-Effectiveness of Various Passive Monitors and Active Monitors for Industrial Hygiene Sampling, 64

SPENCER, Amy Beasley: Mist Control at a Machining Center, Part 1: Mist Characterization, 275

SPICER, R. Christopher: Limitations in Application of Spearman's Rank Correlation to Bioaerosol Sampling Data, 362

SØSTRAND, Per: Hazardous Peak Concentrations of Hydrogen Sulfide Gas Related to the Sewage Purification Process, 107

STACCHINI, Nicola: Infrared Radiation Exposure in Traditional Glass Factories, 5

STILL, Kenneth R.: Airborne Aldehydes from Heating Rosin Core Solder and Liquid Rosin Flux to Soldering Temperatures, 95

STORMENT, Steve: Characterization of Firefighter Exposures During Fire Overhaul, 636

STREICHER, Robert P.: Determination of Airborne Isocyanate Exposure: Considerations in Method Selection, 544

STRONG, Michael: Permeation of Substituted Silanes and Siloxanes Through Selected Gloves and Protective Clothing, 709

SUCCOP, Paul A.: Evaluation of Workers' Perceived Sense of Slip and Effect of Prior Knowledge of Slipperiness During Task Performance on Slippery Surfaces, 492

SYMANSKI, Elaine: Long-Term Trends in Exposures to Nickel Aerosols, 324

TALASKA, Glenn: Effect of Temperature on the Breakthrough of a Charcoal Tube During Vinyl Chloride Monomer Sampling, 405

TEBBETT, Ian R.: Carbonless Copy Paper: A Review of Its Chemical Components and Health Hazards, 214

TESCHKE, Kay: Exposure to Dust, Resin Acids, and Monoterpenes in Softwood Lumber Mills, 521

TESSARI, John D.: Field Evaluation of a Portable Photoionization Detector for Assessing Exposure to Solvent Mixtures, 268

THOMPSON, J.: Air Movement Visualization in the Workplace: Current Methods and New Approaches, 51

THORNE, Peter S.: Assessment of Particulates and Bioaerosols in Eastern Canadian Sawmills, 727

TORMA-KRAJEWSKI, Janet: Chronic Beryllium Disease and Beryllium Sensitization at Rocky Flats: A Case-Control Study, 244

TRAKUMAS, Saulius: Release of Lead-Containing Particles from a Wall Enclosure, 743

TRUNOV, Mikhaylo: Release of Lead-Containing Particles from a Wall Enclosure, 743

TSUJI, Katsuhiko: Protection of Breathing Zone by Uniform Velocity Blowing, 568

TVEDT, Bjørn: Hazardous Peak Concentrations of Hydrogen Sulfide Gas Related to the Sewage Purification Process, 107

VAN DER WOORD, Miriam P.: Within-Day Variability of Magnetic Fields Among Electric Utility Workers: Consequences for Measurement Strategies, 31

VANDERPOOL, Robert W.: An Automated System for Producing Uniform Surface Deposits of Dry Particles, 669

VANSANT, E.F.: The Influence of Humidity on the Overall Mass Transfer Coefficient of the Wheeler-Jonas Equation, 461; Estimating the Overall Mass Transfer Coefficient k, 501

VERMA, Dave K.: Adjustment of Occupational Exposure Limits for Unusual Work Schedules, 367

VIET, Susan Marie: Chronic Beryllium Disease and Beryllium Sensitization at Rocky Flats: A Case-Control Study, 244

VON WINTERFELDT, Detlof: An Analysis of the Implications of a Magnetic Field Threshold Limit Value on Utility Work Practices, 76

WALLACE JR, Richard J.: Mycobacterial Contamination of Metalworking Fluids: Involvement of a Possible New Taxon of Rapidly Growing Mycobacteria, 205

WEBER, R.A.: Measuring Performance of a Half-Mask Respirator in a Styrene Environment, 415

WHITE, Beth: Computer Users' Postures and Associations with Workstation Characteristics, 223

WHITE, Eugene M.: Effects of Various Treatments on the Quantitative Recovery of Endotoxin from Water-Soluble Metalworking Fluids, 517

WILLEKE, K.: Performance Characteristics of the Button Personal Inhalable Aerosol Sampler, 398

WILLEKE, Klaus: Release of Lead-Containing Particles from a Wall Enclosure, 743

WILLIAMS, Phillip L.: Comparison of Solvents for Removing Pesticides from Skin Using an In Vitro Porcine Model, 82

WILSON, Jeffrey R.: Characterization of Firefighter Exposures During Fire Overhaul, 636

WILSON, Rebecca W.: Mycobacterial Contamination of Metalworking Fluids: Involvement of a Possible New Taxon of Rapidly Growing Mycobacteria, 205

WITHERELL, Linden: Review of Legionnaires' Disease, 738

WON, Jong Uk: Effect of Temperature on the Breakthrough of a Charcoal Tube During Vinyl Chloride Monomer Sampling, 405

XIA, Zhao-lin: Fatal Occupational Injuries in the Construction Industry of a New Development Area in East China, 1991 to 1997, 733

YACHER, John M.: Mist Control at a Machining Center, Part 2: Mist Control Following Installation of Air Cleaners, 282

YENI-KOMSHIAN, Grace: Communication Using a Telephone While Wearing a Respirator, 264

YU, Tai-Chiang: Monitoring Effluents from an Air Toxic Control Device Using Continuous Nonmethane Organic Carbon Analyzer, 16

ZELLERS, Edward T.: Personal Monitoring Instrument for the Selective Measurement of Multiple Organic Vapors, 192

ZENDZIAN, Robert P.: Dermal Absorption of Pesticides in the Rat, 473

ZEVENBERGEN, Brian: Urinary Fluoride as an Exposure Index in Aluminum Smelting, 89

ZHANG, Guo-Zheng: Personal Monitoring Instrument for the Selective Measurement of Multiple Organic Vapors, 192

ZHANG, Yansheng: Mycobacterial Contamination of Metalworking Fluids: Involvement of a Possible New Taxon of Rapidly Growing Mycobacteria, 205

ZHAO, Yanqun: Stability of Methylene Chloride Spiked Passive Samplers: An International Shipping and Transportation Study, 394

ZHU, Jin-liang: Fatal Occupational Injuries in the Construction Industry of a New Development Area in East China, 1991 to 1997, 733

ZIMMER, Anthony T.: Mechanistic Understanding of Aerosol Emissions from a Brazing Operation, 351

2000 Subject Index

A

abietic acid, lumber mills, dust, resin acids and monoterpene exposure in, 521–527
absorption measurements
  dermal pesticide absorption in rats, 473–483
  urinary creatinine excretion for pesticide dose absorption, 649–657
acceleration effect, maximum acceptable weight (MAW) values, optimal lifting techniques based on, 642–647
accident risk analysis, magnetic field threshold limit value analysis in electric utility work practices, 76–81
accuracy of measurements, asbestos fiber counting precision and accuracy, phase contrast microscopy, 529–538
acetaldehyde, in spacecraft air, microsorbent tube collection of, 69–74
ACGIH. *See* American Conference of Governmental Industrial Hygienists
active sampling procedures, passive *vs.* active monitoring, cost-effectiveness assessment, 64–68
adsorption techniques
  adsorption effects on Tedlar air sampling bags, reusability potential, 375–380
  aromatic amine permeation through protective gloves, 837–841
  carbon monoxide monitoring with zeolite sorbent and methanization-gas chromatography, 410–414
  ketones, passive sampling in workplace environment, 808–813
  vinyl chloride monomer sampling, charcoal tube, temperature effects on, 405–409
  Wheeler-Jonas equation, humidity effects on overall mass transfer coefficient, 461–468
  Wheeler-Jonas equation, mass transfer coefficient estimation, models, 501–505
aerodynamic particle sizer (APS), metalworking fluids (MWF), mist generation, machining centers, 25–29
aerosols
  air movement visualization techniques in workplace, 51–55
  brazing operation emissions, mechanistic analysis, 351–361
  button personal inhalable sampler performance characteristics, 398–404
  epidemiological review of Legionnaires' disease, 738–742
  facepiece leakage and inhalation resistance, 102–105
  generating apparatus, polyurethane foam combustion products, construction and evaluation, 166–173
  lead particle release in wall enclosures, 743–751
  machining centers, mist characterization at, 275–281
  metalworking fluid mist generation, machining center, 22–29
  nickel aerosol exposure, long-term trends in, 324–333
  sampling devices for enumeration of, performance evaluation, 856–864
  sawmill particulates and bioaerosols, assessment of, 727–732
  Spearman's rank correlation, sampling limitations of, 362–366
agriculture and agricultural workers, airborne contaminants in swine confinement buildings, maintenance, environmental, and seasonal factors, 56–62
AIHA. *See* American Industrial Hygiene Association
airborne contaminants
  air cleaner installation, mist characterization and control with, 282–289
  aldehyde exposure at soldering temperatures, 95–100
  aluminum smelting exposure monitoring, urinary fluoride levels, 89–94
  automated uniform surface deposition, dry particles, 669–677
  cause-and-effect relationship between coal dust and pneumoconiosis (commentary), 784–786
  chromium compound collection, PVC filters, reduction using, 563–567
  devices for airborne spore enumeration, performance evaluation, 856–864
  epidemiological review of Legionnaires' disease, 738–742
  firefighters, characterization of exposures during fire overhaul, 636–641
  indoor fungal levels and building materials, 896–899
  lead-based paint, particle settlement after abatement work and clearance waiting period, 798–806
  lead exposure studies, bridge construction workers, 815–818
  lumber mills, dust, resin acids and monoterpene exposure in, 521–527
  machining centers, mist characterization at, 275–281
  Markov modeling of indoor concentrations, 484–489
  mycobacterial contamination in metalworking fluids, 205–212
  portable air samplers, evaluation of, 851–854
  Spearman's rank correlation of aerosol sampling, limitations of, 362–366
  swine confinement buildings, maintenance, environmental, and seasonal factors, 56–62
  viable microorganisms in air and bulk metalworking fluids, identification of, 788–797
  volatile organic carbon in spacecraft air, multisorbent tube collection, 69–74
air disinfection devices
  adsorption effects on Tedlar air sampling bags, reusability potential, 375–380
  machining centers, mist characterization at, 275–281
  metalworking fluid mist generation, 22–29
  mist control at machining centers using, 282–289
airflow measurements
  air movement visualization techniques in workplace, 51–55
  button personal inhalable aerosol sampler performance characteristics, 398–404
  indoor air quality, autocorrelation and variability in, 658–667
  lead-based paint, particle settlement after abatement work and clearance waiting period, 798–806
air hoods, telephone communications while wearing respirators, 264–267
air quality
  effluent monitoring from air toxic control device, continuous nonmethane organic carbon analyzer, 16–21
  indoor air measurements, autocorrelation and variability, 658–667
  indoor fungal levels and building materials, 896–899
air sampling procedures
  adsorption effects on Tedlar air sampling bags, reusability potential, 375–380
  airborne contaminants in swine buildings, maintenance, environmental, and seasonal factors, 56–62
  air movement visualization techniques in workplace, 51–55
  aldehyde exposure at soldering temperatures, 95–100
  butyltin chloride analysis, gas chromatography with atomic emission detection, 820–823
  carbon monoxide monitoring with zeolite sorbent and methanization-gas chromatography, 410–414
  chromium compound collection, PVC filters, reduction using, 563–567
  devices for airborne spore enumeration, performance evaluation, 856–864
  effluent monitoring in air toxic control device, 16–21
  isocyanate exposure, evaluation of methods, 544–553
  methylene chloride sampler stability analysis, 394–397
  NIOSH 7400, A and B counting rules, vitreous fiber exposure assessment, 454 (LTE)*
  passive *vs.* active monitoring, cost-effectiveness assessment, 64–68
  phosgene formation in welding atmospheres, 539–543
  portable air samplers, evaluation of, 851–854
  vinyl chloride monomer sampling, charcoal tube, temperature effects on, 405–409
  volatile organic carbon in spacecraft air, multisorbent tube collection, 69–74
aldehydes, soldering industry, 95–100
aluminum smelting, urinary fluoride as exposure index, 89–94
American Conference of Governmental Industrial Hygienists (ACGIH)
  Cummings Award lecture, 630–635
  infrared radiation exposure in traditional glass factories, 5–10
American Industrial Hygiene Association (AIHA), case study design principles, 106
American National Standards Institute (ANSI), Working group database S12.13, 13–15
AMEX surveys, magnetic field exposure, impact of work environment, utility, and sampling design on, 174–181
ammonia generation, airborne contaminants in swine buildings, maintenance, environmental, and seasonal factors, 57–62
ammonium chloride, air movement visualization techniques in workplace, 53–55
animal studies
  pesticide absorption in rats, 473–483
  skin solvents for pesticide removal, in vitro porcine models, 82–87
"antifatigue" mats, flooring and, influence on standing comfort and fatigue, 700–708
aromatic amines, permeation through protective gloves using adsorptive pads, 837–841
asbestos, fiber counting precision and accuracy, phase contrast microscopy, 529–538
asphalt, road construction, literature review of exposure monitoring of carcinogens, 715–725
asthma
  aluminum smelting exposure monitoring, urinary fluoride levels, 89–94
  isocyanate compounds, air sampling procedures, 544–553
asymmetric lifting studies, workplace risk factors, biomechanical/psychophysical research on low-back pain, 47–49
atomic emission detection, butyltin chloride analysis, gas chromatography with atomic emission detection, 820–823
autocorrelation function
  indoor air measurements, autocorrelation and variability in, 658–667
  magnetic field exposure, within-day variability in electric utility workers, measurement strategies, 31–37

*** Locators followed by the designator (LTE) indicate a letter to the editor.**

B

back injury
- flooring conditions, influence on standing comfort and fatigue, 700–708
- intervention in health care workers, efficacy of, 290–294
- workplace risk factors, biomechanical/psychophysical research on low-back pain, 39–49

bacteria
- airborne contaminants in swine buildings, maintenance, environmental, and seasonal factors, 58–62
- epidemiological review of Legionnaires' disease, 738–742
- portable air samplers, evaluation of, 851–854
- viable microorganisms in air and bulk metalworking fluids, 788–797

battery assembly, lip lead measurements for lead exposure with, 825–831

benzene
- Coast Guard tank barge inspections, exposure monitoring during, 866–874
- upstream petroleum oil and gas industry, total hydrocarbon exposures and, 255–263

beryllium, chronic beryllium disease, exposure-induced sensitization, 244–253

best-fit oven temperature, infrared radiation exposure in traditional glass factories, 7–10

bioaerosols
- devices for airborne spore enumeration, performance evaluation, 856–864
- indoor fungal levels and building materials, 896–899
- portable air samplers, evaluation of, 851–854
- sawmill particulates and bioaerosols, assessment of, 727–732
- viable microorganisms in air and bulk metalworking fluids, identification of, 788–797

biological monitoring
- aluminum smelting exposure monitoring, urinary fluoride levels, 89–94
- carbohydrate-electrolyte beverages, voluntary hydration with, in industrial environment, 692–698
- devices for airborne spore enumeration, performance evaluation, 856–864
- exertion and body discomfort perception during carpentry tasks, on-site evaluation, 685–691
- lip lead measurements for lead exposure in battery assembly, 825–831
- occupational exposure limits (OELs) and unusual work schedules, 367–373
- portable air samplers, evaluation of, 851–854
- sawmill particulates and bioaerosols, assessment of, 727–732
- Spearman's rank correlation of aerosol sampling, limitations of, 362–366
- urinary creatinine excretion for pesticide dose absorption, 649–657

biomechanical analysis
- computer users' postures, workstation characteristics and, 223–230
- dead volume effects while wearing respirator, 678–683
- workplace risk factors, biomechanical/psychophysical research on low-back pain risk factors, 39–49
- workplace risk factors, biomechanical/psychophysical research upper extremity disorder risk factors, 231–243

Bishop-Corlett Scale, exertion and body discomfort perception during carpentry tasks, on-site evaluation, 685–691

bitumen, road construction, literature review of exposure monitoring of carcinogens, 715–725

black body radiation sources, infrared radiation exposure in traditional glass factories, 5–10

blood lead levels, lip lead measurements for lead exposure in battery assembly, 825–831

Borg's Scale, exertion and body discomfort perception during carpentry tasks, on-site evaluation, 685–691

brazing operations, aerosol emissions, mechanistic analysis, 351–361

breakthrough times
- aromatic amine permeation through protective gloves, 837–841
- silane/siloxane permeation through gloves and protective clothing, 709–713
- Wheeler-Jonas equation, humidity effects on overall mass transfer coefficient, 461–468

breakthrough volume, volatile organic carbon in spacecraft air, microsorbent tube collection and measurement of, 69–74

breathing rates
- dead volume effects while wearing respirator, 678–683
- facepiece leakage and inhalation resistance, 102–105

breathing zone concentration measurements
- solvent exposure monitoring, literature review, 882–895
- uniform velocity blowing protection procedures, 568–574

1-bromopropane, substitutions for trichloroethylene spot remover using, study of, 431–437

bubble generation and breakup
- air movement visualization techniques in workplace, 52–55
- metalworking fluids (MWF), mist generation, machining centers, 23–29

Button inhalable aerosol samplers
- characteristics of, 398–404
- performance evaluation, 506–516

butyltin chlorides, air sampling with gas chromatography, 820–823

C

capacity testing, carbon monoxide monitoring with zeolite sorbent and methanization-gas chromatography, 410–414

capture efficiency measurements, two-dimensional jet-enhanced exhaust hood, potential and turbulent flow models, 183–191

carbon compounds
- carbon monoxide monitoring with zeolite sorbent and methanization-gas chromatography, 410–414
- effluent monitoring from air toxic control device, continuous nonmethane organic carbon analyzer, 16–21
- Wheeler-Jonas equation, mass transfer coefficient estimation, models, 501–505

carbon dioxide
- airborne contaminants in swine buildings, maintenance, environmental, and seasonal factors, 58–62
- dead volume effects while wearing respirator, 678–683

carbonless copy paper (CCP), chemical components and health hazards, 214–220

Carbosieve S-III tubes, volatile organic carbon in spacecraft air, collection using, 69–74

Carbotrap tubes
- half-mask respirator performance evaluation, styrene environment, 415–421
- volatile organic carbon in spacecraft air, collection using, 69–74

Carboxen 569 tubes, volatile organic carbon in spacecraft air, collection using, 69–74

carcinogens, road construction, literature review of exposure monitoring of carcinogens, 715–725

carpal tunnel syndrome
- computer users' postures, workstation characteristics and, 223–230
- workplace risk factors, biomechanical/psychophysical research upper extremity disorder risk factors, 231–243

carpentry tasks, exertion and body discomfort perception, on-site evaluation, 685–691

cascade impactors, copper and zinc oxide exposures in foundries, particle size characterization, 422–430

case studies, design principles, 106

catalytic incinerator, effluent monitoring from air toxic control device, continuous nonmethane organic carbon analyzer, 16–21

catalytic oxidation, effluent monitoring from air toxic control device, continuous nonmethane organic carbon analyzer, 19–21

cataracts, infrared radiation exposure in traditional glass factories, 5–10

center of pressure (COP) measurements, flooring, influence on standing comfort and fatigue, 705–708

charcoal tube/solvent desorption analysis
- half-mask respirator performance evaluation, styrene environment, 415–421
- portable photoionization detector for solvent exposure, field evaluation of, 268–274
- vinyl chloride monomer sampling, temperature effects, 405–409

chemical concentration measurements
- brazing operation aerosol emissions, mechanistic analysis, 351–361
- carbonless copy paper (CCP), chemical components and health hazards, 214–220
- methylene chloride sampler stability analysis, 394–397
- nicotine detection methods, development of, 469–472
- odor/sensory irritation thresholds in humans, evaluation of, 340–349

China
- fatal construction industry injuries in, 733–736
- occupational health and safety policies and programs, 842–849

chlorinated hydrocarbons, phosgene formation in welding atmospheres, 539–543

chromatographic separation, effluent monitoring from air toxic control device, continuous nonmethane organic carbon analyzer, 17–21

chromium compounds, PVC filter collection, reduction of, 563–567

CIS sampler, inhalable aerosol sampler evaluation, 506–516

clearance rates
- lead-based paint, particle settlement after abatement work and clearance waiting period, 798–806
- urinary creatinine excretion for pesticide dose absorption, 649–657

Closed-face 37-mm cassette sampler, inhalable aerosol sampler evaluation, 506–516

coal dust measurements, cause-and-effect relationship between coal dust and pneumoconiosis (commentary), 784–786

Coast Guard workers, exposure monitoring of, during tank barge inspections, 866–874

cobalt compounds, pneumoconiosis in dental technicians, 158–159 (LTE)*, 158 (LTE)*

color former, carbonless copy paper (CCP), chemical components and health hazards, 214–220

colorimetry, phosgene formation in welding atmospheres, 539–543

combustion generators
- air movement visualization techniques in workplace, 53–55
- polyurethane foam combustion products, construction and evaluation, 166–173

commercial site exposure studies, NIOSH 7400, A and B counting rules, vitreous fiber exposure assessment, 454 (LTE)*

Commission Internationale de l'Elairage (CIE) sensitivity curves, infrared radiation exposure in traditional glass factories, 7–10

communication analysis, telephone communications while wearing respirators, 264–267

comparison population technique, evaluation of hearing loss prevention programs using, 11–15

compression forces
- maximum acceptable weight (MAW) values, optimal lifting techniques based on, 642–647
- workplace risk factors, biomechanical/psychophysical research on low-back pain, 43–49

computational fluid dynamics (CFD) model

Markov modeling techniques, indoor air contaminant concentrations, 484–489
two-dimensional jet-enhanced exhaust hood, potential and turbulent flow models, 183–191
computer users, computer users' postures, workstation characteristics and, 223–230
concrete chippings, breathing zone concentration measurements, uniform velocity blowing protection procedures, 568–574
construction industry
breathing zone concentration measurements, uniform velocity blowing protection procedures, 568–574
exertion and body discomfort perception during carpentry tasks, on-site evaluation, 685–691
fatal injuries during, in China, 733–736
indoor fungal levels and building materials, 896–899
lead exposure studies, bridge construction workers, task analysis, 815–818
portable photoionization detector for solvent exposure, evaluation of, 268–274
consulting services, safety and health personnel training needs, labor perspective (editorial), 456–460
contingency hours model, magnetic field threshold limit value analysis in electric utility work practices, 79–81
continuous emission monitoring (CEM), effluent monitoring from air toxic control device, continuous nonmethane organic carbon analyzer, 16–21
continuous nonmethane organic carbon analyzer, effluent monitoring from air toxic control device, 16–21
control measures, air cleaner installation, mist characterization and control with, 282–289
control negative pressure (CNP), facepiece leakage and inhalation resistance, 102–105
copper compounds
copper and zinc oxide exposures in foundries, particle size characterization, 422–430
metal fume fever and, 832–835
cost comparisons
magnetic field threshold limit value analysis in electric utility work practices, 80–81
passive *vs.* active monitoring, cost-effectiveness assessment, 64–68
counting rules
asbestos fiber counting precision and accuracy, phase contrast microscopy, 529–538
NIOSH 7400, A and B counting rules, vitreous fiber exposure assessment, 454 (LTE)*
Cox proportional hazards model
evaluation of hearing loss prevention programs, 11–15
time trends analysis of hearing loss prevention programs, 161–165
creatinine, urinary creatinine excretion for pesticide dose absorption, 649–657
Cummings Award lecture, 630–635
cumulative incidence, time trends analysis of hearing loss prevention programs, 161–165

D

data analysis techniques
comparison populations, evaluation of hearing loss prevention programs using, 13–15
industrial response to OSHA regulatory constraints, 381–387
lead exposure studies, bridge construction workers, 815–818
portable air samplers, evaluation of, 851–854
solvent exposure monitoring, literature review, 882–895
Spearman's rank correlation of aerosol sampling, limitations of, 362–366
dead volume, effect on performance while wearing respirator, 678–683
decision analysis
magnetic field threshold limit value analysis in electric utility work practices, 76–81
tuberculosis in health-care workers, risk regulation and assessment, 334–339
demographic analysis, comparison populations, evaluation of hearing loss prevention programs using, 13–15
dental technicians
nitrous oxide exposure, long-term studies, 753–756
pneumoconiosis in, 158–159 (LTE)*
dermal contamination, skin solvents for pesticide removal, in vitro porcine models, 82–87
dermatitis, carbonless copy paper (CCP), chemical components and health hazards, 214–220
desorption techniques
adsorption effects on Tedlar air sampling bags, reusability potential, 375–380
nicotine detection methods, development of, 470–472
developer materials, carbonless copy paper (CCP), chemical components and health hazards, 214–220
dibutylamine (DBA), polyurethane foam combustion products, aerosol generator construction and evaluation, 166–173
direction-reading aerosol monitoring, button personal inhalable aerosol sampler performance characteristics, 398–404
distribution parameters, automated uniform surface deposition, dry particles, 669–677
dose-response relationships, dermal pesticide absorption in rats, 473–483
drilling operations, benzene exposure, upstream petroleum oil and gas industry, total hydrocarbon exposures and, 255–263
dry cleaning operations, substitutions for trichloroethylene spot remover, study of, 431–437
dry gas mixtures, spacecraft air analysis of, microsorbent tube collection, 72–74
D-TAM, skin solvents for pesticide removal, in vitro porcine models, 82–87
dust sampling. *See* particulate sampling
dust wipe sampling, lead exposure studies, bridge construction workers, 815–818
dynamic whole body biomechanical models, workplace risk factors, biomechanical/psychophysical research on low-back pain, 45–49

E

electric utility industry
magnetic field exposure, impact of work environment, utility, and sampling design on, 174–181
magnetic field exposure, threshold limit value analysis, 76–81
magnetic field exposure, within-day variability in workers, measurement strategies, 31–37
electrolyte-carbohydrate (ECHO) beverages, voluntary hydration with, in industrial environment, 692–698
electromyography, flooring, influence on standing comfort and fatigue, 700–708
electroplating operations, chromium compound collection, PVC filters, reduction using, 563–567
ELPAT. *See* Environmental lead proficiency analytical testing (ELPAT) program
EMDEX surveys, magnetic field exposure, impact of work environment, utility, and sampling design on, 174–181
emissions monitoring
brazing operation aerosol emissions, mechanistic analysis, 351–361
butyltin chloride analysis, gas chromatography with atomic emission detection, 820–823
employee training, facepiece leakage and inhalation resistance, 102–105
endotoxins
airborne contaminants in swine buildings, maintenance, environmental, and seasonal factors, 58–62
in metalworking fluids (MWF), recovery and treatment, water-soluble fluids, 517–520
sawmill particulates and bioaerosols, assessment of, 727–732
Environmental Lead Proficiency Analytical Testing (ELPAT) Program
round 31 report, 903–905
rounds 28 report, 297–299
rounds 29 report, 586–589
rounds 30 report, 759–762
rounds 26-27 reports, 116–117
environmental monitoring
airborne contaminants in swine buildings, maintenance, environmental, and seasonal factors, 56–62
carbohydrate-electrolyte beverages, voluntary hydration in industrial environment, 692–698
Chinese occupational health and safety policies and programs, 842–849
Coast Guard tank barge inspections, benzene, gasoline, and MTBE exposure during, 866–874
lip lead measurements for lead exposure in battery assembly, 825–831
lognormal parameter determination and minimal information, 878–881
sawmill particulates and bioaerosols, assessment of, 727–732
Environmental Protection Agency, lead content in water, measurement of, anodic stripping voltammetry *vs.* standard EPA 239.2 method, 557–562
environmental tobacco smoke (ETS), detection methods, development of, 469–472
epidemiological studies
aluminum smelting exposure monitoring, urinary fluoride levels, 89–94
chronic beryllium disease, exposure-induced sensitization, 244–253
comparison populations for evaluation of hearing loss prevention programs, 11–15
epidemiological review of Legionnaires' disease, 738–742
fatal construction industry injuries in China, 733–736
road construction, literature review of exposure monitoring of carcinogens, 715–725
solvent exposure monitoring, literature review, 882–895
tuberculosis in health-care workers, risk regulation and assessment, 334–339
equilibrium analysis, brazing operation aerosol emissions, mechanistic analysis, 351–361
ergonomic analysis
back injury intervention in health care workers, 290–294
computer users' postures, workstation characteristics and, 223–230
workplace risk factors, biomechanical/psychophysical research on low-back pain risk factors, 39–49
workplace risk factors, biomechanical/psychophysical research upper extremity disorder risk factors, 231–243
estimation techniques, Wheeler-Jonas equation, mass transfer coefficient estimation, model for, 501–505
evaluation methods
comparison populations in evaluation of hearing loss prevention programs, 11–15
inhalable aerosol sampler evaluation, 506–516
exercise, dead volume effects while wearing respirator, 678–683
exertion levels, exertion and body discomfort perception during carpentry tasks, on-site evaluation, 685–691
exhaust hoods, two-dimensional jet-enhanced design, potential and turbulent flow models, 183–191
experimental study design, button personal inhalable aerosol sampler performance characteristics, 398–404
exposure monitoring
aluminum smelting, urinary fluoride index, 89–94
chronic beryllium disease, exposure-induced sensitization, 244–253

Coast Guard tank barge inspections, gasoline, MTBE and benzene vapor exposures, 866–874
copper and zinc oxide exposures in foundries, particle size characterization, 422–430
dermal pesticide absorption, rat models, 473–483
firefighters, characterization of exposures during fire overhaul, 636–641
hazardous waste management, household hazardous waste, health and safety guidelines for, 575–583
infrared radiation exposure in traditional glass factories, 5–10
isocyanate compounds, air sampling procedures, 544–553
literature review of solvent exposure data, 882–895
lumber mills, dust, resin acids and monoterpene exposure in, 521–527
magnetic field exposure, impact of work environment, utility, and sampling design on, 174–181
magnetic field exposure, within-day variability in electric utility workers, measurement strategies, 31–37
magnetic field threshold limit value analysis in electric utility work practices, 76–81
methylene chloride sampler stability analysis, 394–397
nickel aerosol exposure, long-term trends in, 324–333
nicotine detection methods, development of, 469–472
NIOSH 7400, A and B counting rules, vitreous fiber exposure assessment, 454 (LTE)*
nitrous oxide exposure monitoring at dental facilities, 753–756
occupational exposure limits (OELs) and unusual work schedules, 367–373
portable photoionization detector for solvent exposure, 268–274
road construction, literature review of exposure monitoring of carcinogens, 715–725
substitutions for trichloroethylene spot remover, study of, 431–437
uniform velocity blowing, breathing zone protection using, 568–574
viable microorganisms in air and bulk metalworking fluids, identification of, 788–797

F

fatigue effects, flooring, influence on standing comfort and fatigue, 700–708
fibers
asbestos fiber counting precision and accuracy, phase contrast microscopy, 529–538
butyltin chloride analysis, gas chromatography with atomic emission detection, 820–823
NIOSH 7400, A and B counting rules, vitreous fiber exposure assessment, 454 (LTE)*
field studies
computer users' postures, workstation characteristics and, 223–230
exertion and body discomfort perception during carpentry tasks, on-site evaluation, 685–691
portable photoionization detector for solvent exposure, field evaluation of, 268–274
filters
chromium compound collection, PVC filters, reduction using, 563–567
facepiece leakage and inhalation resistance, 102–105
firefighters, exposure monitoring during fire overhaul, 636–641
flame ionization detection (FID), effluent monitoring from air toxic control device, continuous nonmethane organic carbon analyzer, 17–21
flame-retardant materials, flame-retardant ensembles for aluminum smelting, heat stress effects, 874–877
flooring, influence on standing comfort and fatigue, 700–708
fluid intake and replacement, electrolyte-carbohydrate (ECHO) beverages, voluntary hydration with, in industrial environment, 692–698
fluid motion studies, metalworking fluids (MWF), mist generation, machining centers, 23–29
fluorides, aluminum smelting exposure monitoring, urinary fluoride levels, 89–94
flux behavior, brazing operation aerosol emissions, mechanistic analysis, 351–361
foundries
copper and zinc oxide exposures in foundries, particle size characterization, 422–430
copper exposure and metal fume fever, 834–835
Freon 12, in spacecraft air, microsorbent tube collection of, 69–74
friction coefficient, slip perception, evaluation of workers' sense of on slippery surfaces, 492–500
fume generation
air movement visualization techniques in workplace, 52–55
brazing operation aerosol emissions, mechanistic analysis, 351–361
copper and zinc oxide exposures in foundries, particle size characterization, 422–430
copper exposure and metal fume fever, 832–835
fungi, indoor fungal levels and building materials, 896–899

G

gas analyzers, microsorbent tubes, spacecraft air analysis, 69–74
gas chromatography/mass spectrometry
aldehyde exposure at soldering temperatures, 95–100
butyltin chloride analysis, 820–823
ketones, passive sampling in workplace environment, 808–813
nicotine detection methods, development of, 469–472
portable photoionization detector for solvent exposure, field evaluation of, 268–274
gas detectors, personal monitoring instruments, multiple organic vapor measurement, 192–203
gas emissions
benzene exposure, upstream petroleum oil and gas industry, total hydrocarbon exposures and, 255–263
Coast Guard tank barge inspections, exposure monitoring during, 866–874
hydrogen sulfide gas concentration, sewage purification industry, 107–109
geometric calculations
computer users' postures, workstation characteristics and, 223–230
endotoxins in metalworking fluids (MWF), recovery and treatment, water-soluble fluids, 517–520
lognormal parameter determination and minimal information, 878–881
nickel aerosol exposure, long-term trends in, 324–333
respirator assigned protection factors, uncertainty analysis of, 388–393
glass workers, infrared radiation exposure in traditional glass factories, 5–10
grab-sample containers (GSCs), volatile organic carbon in spacecraft air, microsorbent tube collection and, 69–74
gravimetric analysis, automated uniform surface deposition, dry particles, 672–677

H

hand tools, workplace risk factors, biomechanical/psychophysical research upper extremity disorder risk factors, 231–243
hazard classification, Chinese occupational health and safety policies and programs, 842–849
hazardous chemicals, carbonless copy paper (CCP), chemical components and health hazards, 214–220
hazardous waste management, household hazardous waste, health and safety guidelines for, 575–583
hazard ratios
comparison populations for evaluation of hearing loss prevention programs, 13–15
time trends analysis of hearing loss prevention programs, 161–165
health care work environments
back injury intervention for workers in, efficacy of, 290–294
tuberculosis transmission in, risk reduction strategies, 334–339
health hazard evaluation procedures
Chinese occupational health and safety policies and programs, 842–849
nicotine detection methods, development of, 469–472
health regulations, industrial response to OSHA regulatory constraints, 381–387
health risks in work environments
carbonless copy paper (CCP), chemical components and health hazards, 214–220
sewage purification industry, 107–109
hearing loss prevention programs (HLPPs)
comparison populations for evaluation of, 11–15
time trends analysis of, 161–165
heating, ventilating and air conditioning (HVAC) systems, epidemiological review of Legionnaires' disease, 738–742
heat stress
carbohydrate-electrolyte beverages, voluntary hydration with, in industrial environment, 692–698
flame-retardant ensembles for aluminum smelting, effects on, 874–877
high-efficiency particulate air (HEPA) filters, facepiece leakage and inhalation resistance, 102–105
high-performance liquid chromatography, isocyanate exposure, air sampling procedures, 544–553
honeycomb blowers, uniform velocity blowing, breathing zone protection using, 568–574
humidified gas mixtures, spacecraft air analysis of, microsorbent tube collection, 72–74
humidity effects, Wheeler-Jonas equation, humidity effects on overall mass transfer coefficient, 461–468
hydration mechanisms, carbohydrate-electrolyte beverages, voluntary hydration with, in industrial environment, 692–698
hydrogen cyanide (HCN), firefighter exposures, characterization during fire overhaul, 636–641
hydrogen fluoride, aluminum smelting exposure monitoring, urinary fluoride levels, 89–94
hydrogen sulfide, hazardous concentrations in sewage purification industry, 107–109
hypersensitivity pneumonitis
isocyanate compounds, air sampling procedures, 544–553
mycobacterial contamination in metalworking fluids, 205–212

I

indoor air quality, autocorrelation and variability in measurement of, 658–667
industrial hygiene
carbohydrate-electrolyte beverages, voluntary hydration in industrial environment, 692–698
case study design principles, 106
Cummings Award lecture, 630–635
epidemiological review of Legionnaires' disease, 738–742
industrial response to OSHA regulatory constraints, 381–387
lip lead measurements for lead exposure in battery assembly, 825–831
occupational health service policies in China, 842–849
passive *vs.* active monitoring, cost-effectiveness assessment, 64–68
infectious disease transmission
epidemiological review of Legionnaires' disease, 738–742
Markov modeling techniques, indoor air contaminant concentrations, 484–489

tuberculosis in health-care workers, risk regulation, 334–339
infrared radiation exposure, in traditional glass factories, 5–10
inhalable aerosol sampling
button personal inhalable aerosol sampler performance characteristics, 398–404
evaluation of samplers, 506–516
inhalation data
facepiece leakage and inhalation resistance, 102–105
road construction, literature review of exposure monitoring of carcinogens, 715–725
injury analysis
back injury intervention for health care workers, efficacy of, 290–294
fatal construction industry injuries in China, 733–736
slip perception, evaluation of, 492–500
workplace risk factors, biomechanical/psychophysical research on low-back pain, 39–49
workplace risk factors, biomechanical/psychophysical research upper extremity disorder risk factors, 231–243
inspection procedures
Coast Guard tank barge inspections, exposure monitoring during, 866–874
safety and health personnel training needs, labor perspective (editorial), 456–460
in vitro studies, skin solvents for pesticide removal, in vitro porcine models, 82–87
IOM sampler, inhalable aerosol sampler evaluation, 506–516
isocyanate compounds, exposure monitoring, air sampling procedures, 544–553

J

jet-reinforced exhaust, two-dimensional hood design, potential and turbulent flow models, 183–191

K

ketones, passive sampling in workplace environment, 808–813
keyboards
computer users' postures, workstation characteristics and, 223–230
workplace risk factors, biomechanical/psychophysical research upper extremity disorder risk factors, 231–243
kinematic models
Wheeler-Jonas equation, mass transfer coefficient estimation, models, 501–505
workplace risk factors, biomechanical/psychophysical research on low-back pain, 41–49

L

laboratory design and performance, automated uniform surface deposition, dry particles, 669–677
labor policy, safety and health personnel training needs, labor perspective (editorial), 456–460
lateralization threshold analysis, odor/sensory irritation thresholds in humans, evaluation of, 340–349
lead-based paint
lead particle release in wall enclosures, 743–751
particle settlement after abatement work and clearance waiting period, 798–806
lead exposure studies
anodic stripping voltammetry *vs.* standard EPA 239.2 method, 557–562
bridge construction workers, task analysis, 815–818
lip lead measurements in battery assembly workers, 825–831
particle release in wall enclosures, 743–751
particle settlement after abatement work and clearance waiting period, 798–806
leakage studies, facepiece leakage and inhalation resistance, 102–105
Legionnaires' disease, epidemiological review of, 738–742
leukemia risk assessment, benzene exposure, upstream petroleum oil and gas industry, total hydrocarbon exposures and, 255–263
lifting motions
maximum acceptable of lift, optimization based on, 642–647
workplace risk factors, biomechanical/psychophysical research on low-back pain, 41–49
limits of detection (LOD)
air cleaner installation, mist characterization and control with, 282–289
firefighter exposures, characterization during fire overhaul, 636–641
personal monitoring instruments, multiple organic vapor measurement, 195–203
Limulus amebocyte lysate (LAL) assay, endotoxins in metalworking fluids (MWF), recovery and treatment, water-soluble fluids, 517–520
literature review
road construction, literature review of exposure monitoring of carcinogens, 715–725
solvent exposure monitoring, 882–895
workplace risk factors, biomechanical/psychophysical research on low-back pain, 42
livestock, airborne contaminants in swine buildings, maintenance, environmental, and seasonal factors, 58–62
lognormal parameters, minimal information and determination of, 878–881
long-term studies, nickel aerosol exposure, long-term trends in, 324–333
low-back pain, workplace risk factors, biomechanical/psychophysical research on, 39–49
lower extremities, flooring, influence on standing comfort and fatigue, 700–708
lumber mills, exposure monitoring in, 521–527
luxometer measurements, infrared radiation exposure in traditional glass factories, 5–10

M

machining operations
air cleaner installation, mist characterization and control with, 282–289
metalworking fluids (MWF), mist generation, machining centers, 22–29
mist characterization and control, 275–281
mycobacterial contamination in metalworking fluids, 205–212
viable microorganisms in air and bulk metalworking fluids, identification of, 788–797
MAC values, phosgene formation in welding atmospheres, 539–543
magnetic field exposure
threshold limit value analysis in electric utility work practices, 76–81
within-day variability in electric utility workers, measurement strategies, 31–37
workplace environment, utility and sampling design as factors in, 174–181
maintenance practices, airborne contaminants in swine buildings, maintenance, environmental, and seasonal factors, 56–62
manufacturing facilities, industrial response to OSHA regulatory constraints, 381–387
Markov modeling techniques, indoor air contaminant concentrations, 484–489
mass balance, skin solvents for pesticide removal, in vitro porcine models, 86–87
mass concentration effects, metalworking fluids (MWF), mist generation, machining centers, 26–29
mass transfer coefficient
Wheeler-Jonas equation, humidity effects on overall mass transfer coefficient, 461–468
Wheeler-Jonas equation, model for estimation, 501–505
materials analysis
flame-retardant ensembles for aluminum smelting, heat stress effects, 874–877
silane/siloxane permeation through gloves and protective clothing, 709–713
mathematical modeling, two-dimensional jet-enhanced exhaust hood, potential and turbulent flow models, 183–191
maximum acceptable weight (MAW) values
optimal lifting techniques based on, 642–647
workplace risk factors, biomechanical/psychophysical research on low-back pain, 41–49
mechanistic analysis, brazing operation aerosol emissions, mechanistic analysis, 351–361
mercury compounds, hazardous waste management, household hazardous waste, health and safety guidelines for, 575–583
metal alloys, brazing operation aerosol emissions, mechanistic analysis, 351–361
metal fume fever
copper and zinc oxide exposures in foundries, particle size characterization, 422–430
copper exposure and, 832–835
metallic chloride fumes, air movement visualization techniques in workplace, 53–55
metalworking fluids (MWF)
endotoxin recovery and treatment, water-soluble fluids, 517–520
machining centers, mist characterization at, 275–281
machining centers, mist control with air cleaner installation, 282–289
mist generation, machining centers, 22–29
mycobacterial contamination, possible new taxon, 205–212
viable microorganisms in air and bulk metalworking fluids, identification of, 788–797
methane, effluent monitoring from air toxic control device, continuous nonmethane organic carbon analyzer, 16–21
methanization-gas chromatography, carbon monoxide monitoring with zeolite sorbent and methanization-gas chromatography, 410–414
methanol, in spacecraft air, microsorbent tube collection of, 69–74
methylene chloride, passive samplers, stability analysis, 394–397
methyl isobutyl ketone (MIBK), odor/sensory irritation thresholds in humans, evaluation of, 340–349
methyl-tert butyl ether (MTBE), Coast Guard tank barge inspections, exposure monitoring during, 866–874
microcapsule manufacture, carbonless copy paper (CCP), chemical components and health hazards, 214–220
microorifice uniform deposit impactor (MOUDI), metalworking fluids (MWF), mist generation, machining centers, 25–29
microtrap design, effluent monitoring from air toxic control device, continuous nonmethane organic carbon analyzer, 16–21
mineralogical analysis
NIOSH 7400, A and B counting rules, vitreous fiber exposure assessment, 454 (LTE)*
pneumoconiosis in dental technicians, 158–159 (LTE)*
mist generation
air movement visualization techniques in workplace, 53–55
chromium compound collection, PVC filters, reduction using, 563–567
control of, with air cleaner installation, 282–289
machining centers, mist characterization at, 275–281
metalworking fluids (MWF), mist generation, machining centers, 22–29
modeling techniques
Cox proportional hazards model, hearing loss prevention programs, 11–15, 161–165
Markov modeling of indoor concentrations, 484–489
occupational exposure limits (OELs) and unusual work schedules, model for, 367–373
skin solvents for pesticide removal, in vitro porcine models, 82–87
two-dimensional jet-enhanced exhaust hood, potential and turbulent flow models, 183–191

urinary creatinine excretion for pesticide dose absorption, prediction models, 649–657
viable microorganisms in air and bulk metalworking fluids, statistical modeling of, 788–797
Wheeler-Jonas equation, humidity effects on mass transfer coefficient, 461–468
Wheeler-Jonas equation, mass transfer coefficient estimation, models, 501–505
workplace risk factors, kinematic models of low-back pain, 41–49
Modified Rhyme Test, telephone communications while wearing respirators, 264–267
mold cultures
airborne contaminants in swine buildings, maintenance, environmental, and seasonal factors, 58–62
indoor fungal levels and building materials, 896–899
sawmill particulates and bioaerosols, assessment of, 727–732
molecular sieve techniques, carbon monoxide monitoring with zeolite sorbent and methanization-gas chromatography, 410–414
monitoring techniques, passive *vs.* active monitoring, cost-effectiveness assessment, 64–68
monoterpenes, lumber mills, dust, resin acids and monoterpene exposure in, 521–527
Monte Carlo simulations, respirator assigned protection factors, uncertainty analysis of, 388–393
mortality studies, fatal construction industry injuries in China, 733–736
motion analysis
back injury intervention in health care workers, efficacy of, 290–294
computer users' postures, workstation characteristics and, 223–230
workplace risk factors, biomechanical/psychophysical research on low-back pain, 47–49
multisorbent tubes, volatile organic carbon in spacecraft air, collection using, 69–74
musculoskeletal disorders
hazardous waste management, household hazardous waste, health and safety guidelines for, 575–583
workplace risk factors, biomechanical/psychophysical research on low-back pain risk factors, 39–49
workplace risk factors, biomechanical/psychophysical research upper extremity disorder risk factors, 231–243
mycobacterial contaminants, in metalworking fluids, 205–212

N

National Institute for Occupational Safety and Health (NIOSH)
A and B counting rules, vitreous fiber exposure assessment, 454 (LTE)*
health hazard evaluation, nicotine detection methods, development of, 469–472
nitrous oxide exposure monitoring at dental facilities, 753–756
vinyl chloride monomer sampling, charcoal tube, temperature effects on, 405–409
nickel industry, nickel aerosol exposure, long-term trends in, 324–333
nicotine exposure, detection methods, development of, 469–472
NIOSH. *See* National Institute for Occupational Safety and Health (NIOSH)
nitrous oxide, exposure monitoring at dental facilities, 753–756
noise exposure studies, evaluation of hearing loss prevention program, comparison populations for, 11–15
nonmethane organic carbon (NMOC), effluent monitoring in air toxic control device, continuous nonmethane organic carbon analyzer, 16–21
nuclear weapons industry, chronic beryllium disease, exposure-induced sensitization, 244–253
nursing profession, back injury intervention for workers in, efficacy of, 290–294

O

occupational classification, magnetic field exposure, impact of work environment, utility, and sampling design on, 174–181
occupational exposure limits (OELs)
benzene exposure, upstream petroleum oil and gas industry, total hydrocarbon exposures and, 255–263
chronic beryllium disease, exposure-induced sensitization, 244–253
respirator assigned protection factors, uncertainty analysis of, 388–393
work schedules and adjustment of, 367–373
occupational health and safety
aromatic amine permeation through protective gloves, 837–841
Chinese policies and programs for small-scale industries, 842–849
fatal construction industry injuries in China, 733–736
hazardous waste management, household hazardous waste, health and safety guidelines for, 575–583
workforce training needs, labor perspective (editorial), 456–460
Occupational Safety and Health Administration (OSHA)
industrial response to regulatory constraints, 381–387
occupational exposure limits (OELs) and unusual work schedules, model for, 367–373
vinyl chloride monomer sampling, charcoal tube, temperature effects on, 405–409
workforce training needs assessment, labor perspective (editorial), 456–460
odor thresholds, odor/sensory irritation thresholds in humans, evaluation of, 340–349
office workers, computer users' postures, workstation characteristics and, 223–230
oil industry. *See* petroleum products
organic compounds
adsorption effects on Tedlar air sampling bags, reusability potential, 375–380
personal monitoring instruments, multiple organic vapor measurement, 192–203
Wheeler-Jonas equation, humidity effects on overall mass transfer coefficient, 461–468
Wheeler-Jonas equation, mass transfer coefficient estimation, models, 501–505
organo-psycho syndrome (OPS), exposure monitoring, literature review, 882–895
organotin compounds, butyltin chloride analysis, gas chromatography with atomic emission detection, 820–823
OSHA. *See* Occupational Safety and Health Administration
overuse injuries
workplace risk factors, biomechanical/psychophysical research on low-back pain, 39–49
workplace risk factors, biomechanical/psychophysical research upper extremity disorder risk factors, 231–243
oxime derivatives, ketones, passive sampling in workplace environment, 808–813

P

paint testing technologies, portable photoionization detector for solvent exposure, field evaluation of, 268–274
paper manufacturing, carbonless copy paper (CCP), chemical components and health hazards, 214–220
particle dispersion and concentration
automated uniform surface deposition, dry particles, 669–677
cause-and-effect relationship between coal dust and pneumoconiosis (commentary), 784–786
devices for airborne spore enumeration, performance evaluation, 856–864
lead-based paint, particle settlement after abatement work and clearance waiting period, 798–806
lead particle release in wall enclosures, 743–751
Markov modeling techniques, indoor air contaminant concentrations, 484–489
polyurethane foam combustion products, aerosol generator construction and evaluation, 167–173
particle size distribution
automated uniform surface deposition, dry particles, 669–677
brazing operation aerosol emissions, mechanistic analysis, 351–361
copper and zinc oxide exposures in foundries, 422–430
copper exposure and metal fume fever, 834–835
lognormal parameter determination and minimal information, 878–881
machining centers, mist characterization at, 275–281
metalworking fluids (MWF), mist generation, machining centers, 26–29
particulate sampling
airborne contaminants in swine buildings, maintenance, environmental, and seasonal factors, 58–62
air cleaner installation, mist characterization and control with, 282–289
cause-and-effect relationship between coal dust and pneumoconiosis (commentary), 784–786
copper and zinc oxide exposures in foundries, particle size characterization, 422–430
facepiece leakage and inhalation resistance, 102–105
lead-based paint, particle settlement after abatement work and clearance waiting period, 798–806
lead exposure studies, bridge construction workers, 815–818
lumber mills, dust, resin acids and monoterpene exposure in, 521–527
machining centers, mist characterization at, 275–281
NIOSH 7400, A and B counting rules, vitreous fiber exposure assessment, 454 (LTE)*
sawmill particulates and bioaerosols, assessment of, 727–732
uniform velocity blowing, breathing zone protection using, 568–574
passive sampling procedures
methylene chloride sampler stability analysis, 394–397
passive *vs.* active monitoring, cost-effectiveness assessment, 64–68
workplace ketone regulations, 808–813
paving materials, road construction, literature review of exposure monitoring of carcinogens, 715–725
peak concentration measurements, hazardous concentrations in sewage purification industry, 107–109
perceived sense of slip (PSOS) scale, slip perception, evaluation of workers' sense of, 492–500
perchloroethylene (PERC), substitutions for, as spot remover, study of, 431–437
performance evaluation
air sampling devices for airborne spore enumeration, performance evaluation, 856–864
dead volume effects while wearing respirator, 678–683
half-mask respirator performance evaluation, styrene environment, 415–421
inhalable aerosol samplers, 506–516
methylene chloride sampler stability analysis, 394–397
polyurethane foam combustion products, aerosol generator construction and evaluation, 166–173
portable air samplers, evaluation of, 851–854
portable photoionization detector for solvent exposure, field evaluation of, 268–274
respirator assigned protection factors, uncertainty analysis of, 388–393

permeation testing
aromatic amine permeation through protective gloves, 837–841
silane/siloxane permeation through gloves and protective clothing, 709–713
permissible exposure limits (PELs)
chronic beryllium disease, exposure-induced sensitization, 244–253
copper exposure and metal fume fever, 832–835
firefighter exposures, characterization during fire overhaul, 636–641
personal exposure meters (PEMs)
button personal inhalable aerosol sampler performance characteristics, 398–404
devices for airborne spore enumeration, performance evaluation, 856–864
inhalable aerosol sampler evaluation, 506–516
ketones, passive sampling in workplace environment, 808–813
multiple organic vapor measurement, 192–203
pesticide exposure
dermal absorption in rats, 473–483
hazardous waste management, household hazardous waste, health and safety guidelines for, 575–583
skin solvents for pesticide removal, in vitro porcine models, 82–87
urinary creatinine excretion for dose absorption, 649–657
petroleum products, benzene exposure, upstream petroleum oil and gas industry, total hydrocarbon exposures and, 255–263
pharmacokinetics, occupational exposure limits (OELs) and unusual work schedules, 367–373
phase contrast microscopy, asbestos fiber counting precision and accuracy, 529–538
phenyl ethyl alcohol (PEA), odor/sensory irritation thresholds in humans, evaluation of, 340–349
phosgene, formation in welding atmospheres, 539–543
photoionization detector (PID), portable photoionization detector for solvent exposure, field evaluation of, 268–274
pilot studies, magnetic field exposure in electric utility workers, within-day variability measurement strategies, 35–37
pipeline operations, benzene exposure, upstream petroleum oil and gas industry, total hydrocarbon exposures and, 255–263
Planck formula, infrared radiation exposure in traditional glass factories, measurement using, 5–10
pneumoconiosis
cause-and-effect relationship between coal dust and pneumoconiosis (commentary), 784–786
in dental technicians, 158–159 (LTE)*
polycyclic aromatic hydrocarbons (PAHs)
aluminum smelting exposure monitoring, urinary fluoride levels, 89–94
road construction, literature review of exposure monitoring of carcinogens, 715–725
polyethylene glycol (PEG), skin solvents for pesticide removal, in vitro porcine models, 82–87
polynuclear aromatic hydrocarbons (PNA), firefighter exposures, characterization during fire overhaul, 636–641
polyurethanes
foam combustion products, aerosol generating apparatus, construction and evaluation, 166–173
isocyanate compounds, air sampling procedures, 544–553
polyvinyl chloride (PVC) filters, chromium compound collection, PVC filters, reduction using, 563–567
portable monitoring devices/indicators
lead content in water, measurement of, anodic stripping voltammetry *vs.* standard EPA 239.2 method, 557–562
portable air samplers, evaluation of, 851–854
portable photoionization detector for solvent exposure, field evaluation of, 268–274
positive product controls (PPCs), endotoxins in metalworking fluids (MWF), recovery and treatment, water-soluble fluids, 517–520
postural analysis
computer users' postures and workstation characteristics, 223–230
flooring, influence on standing comfort and fatigue, 700–708
maximum acceptable weight (MAW) values, optimal lifting techniques based on, 642–647
slip perception, evaluation of workers' sense of on slippery surfaces, 492–500
potential flow theory, two-dimensional jet-enhanced exhaust hood, potential and turbulent flow models, 183–191
preconcentrator tube (PCT), personal monitoring instruments, multiple organic vapor measurement, 192–203
prediction models, urinary creatinine excretion for pesticide dose absorption, 649–657
prevention programs
epidemiological review of Legionnaires' disease, 738–742
fatal construction industry injuries in China, 733–736
hearing loss, comparison populations for evaluation of, 11–15
probability analysis
lognormal parameter determination and minimal information, 878–881
Markov modeling techniques, indoor air contaminant concentrations, 484–489
tuberculosis in health-care workers, risk regulation and assessment, 334–339
products of combustion, firefighter exposures, characterization during fire overhaul, 636–641
Proficiency Analytical Testing (PAT) program
asbestos fiber counting precision and accuracy, phase contrast microscopy, 529–538
round 138 report, 114
round 139 report, 114–115, 295
round 140 report, 295–296, 584
round 141 report, 584–585, 757
round 142 report, 757–758, 901
round 143 report, 901–902
protective equipment
aromatic amine permeation through protective gloves, 837–841
carbohydrate-electrolyte beverages, voluntary hydration with, in industrial environment, 692–698
facepiece leakage and inhalation resistance, 102–105
firefighters, characterization of exposures during fire overhaul, 636–641
flame-retardant ensembles for aluminum smelting, heat stress effects, 874–877
half-mask respirator performance evaluation, styrene environment, 415–421
respirator assigned protection factors, uncertainty analysis of, 388–393
silane/siloxane permeation through gloves and protective clothing, 709–713
telephone communications while wearing respirators, 264–267
Prototype button samplers, inhalable aerosol sampler evaluation, 506–516
psychophysics
maximum acceptable weight (MAW) values, optimal lifting techniques based on, 642–647
workplace risk factors, biomechanical/psychophysical research on low-back pain, 39–49
workplace risk factors, biomechanical/psychophysical research upper extremity disorder risk factors, 231–243
punched board (PB) blowers, uniform velocity blowing, breathing zone protection using, 568–574

Q

quantitative analysis
aldehyde exposure at soldering temperatures, 95–100
aromatic amine permeation through protective gloves, 837–841
Quebec model, occupational exposure limits (OELs) and unusual work schedules, model for, 367–373

R

radiation studies, infrared radiation exposure in traditional glass factories, 5–10
radiometric measurements, infrared radiation exposure in traditional glass factories, 5–10
rapidly growing mycobacteria (RGM), mycobacterial contamination in metalworking fluids, 205–212
real-time aerosol monitor (RAM), metalworking fluids (MWF), mist generation, machining centers, 25–29
recommended exposure limits (RELs)
firefighter exposures, characterization during fire overhaul, 636–641
isocyanate compounds, air sampling procedures, 544–553
nitrous oxide exposure monitoring at dental facilities, 753–756
recovery percentages
microsorbent tubes, spacecraft air analysis, 69–74
skin solvents for pesticide removal, in vitro porcine models, 82–87
reference populations, evaluation of hearing loss prevention programs using, 11–15
regulatory standards, industrial response to OSHA regulatory constraints, 381–387
relative humidity (RH)
flame-retardant ensembles for aluminum smelting, heat stress effects, 874–877
Wheeler-Jonas equation, humidity effects on overall mass transfer coefficient, 461–468
relocatable fields (REF) slide preparation, asbestos fiber counting precision and accuracy, phase contrast microscopy, 530–538
repetitive motion analysis
workplace risk factors, biomechanical/psychophysical research on low-back pain, 39–49
workplace risk factors, biomechanical/psychophysical research upper extremity disorder risk factors, 231–243
resin acids
butyltin chloride analysis, gas chromatography with atomic emission detection, 820–823
lumber mills, dust, resin acids and monoterpene exposure in, 521–527
RespiCon sampler, inhalable aerosol sampler evaluation, 506–516
respirators
assigned protection factors, uncertainty analysis of, 388–393
dead volume effects on performance, 678–683
facepiece leakage and inhalation resistance, 102–105
firefighters, characterization of exposures during fire overhaul, 636–641
half-mask respirator performance evaluation, styrene environment, 415–421
lead exposure studies, bridge construction workers, 815–818
telephone communications with use of, 264–267
Wheeler-Jonas equation, humidity effects on overall mass transfer coefficient, 461–468
Wheeler-Jonas equation, mass transfer coefficient estimation, models, 501–505
respiratory tract, hydrogen sulfide gas concentration, sewage purification industry, 107–109
risk assessment
hearing loss prevention programs, comparison population methods for evaluation of, 11–15
lognormal parameter determination and minimal information, 878–881
transmission in health-care workers, risk regulation, 334–339

road construction, literature review of exposure monitoring of carcinogens, 715–725
rosin solder, aldehyde exposure at soldering temperatures, 95–100
rotary atomization, metalworking fluids (MWF), mist generation, machining centers, 23–29

S

safety procedures and analysis, industrial response to OSHA regulatory constraints, 381–387
sampling procedures
  adsorption effects on Tedlar air sampling bags, reusability potential, 375–380
  aldehyde exposure at soldering temperatures, 95–100
  aluminum smelting exposure monitoring, urinary fluoride levels, 89–94
  asbestos fiber counting precision and accuracy, phase contrast microscopy, 530–538
  button personal inhalable aerosol sampler performance characteristics, 398–404
  carbon monoxide monitoring with zeolite sorbent and methanization-gas chromatography, 410–414
  comparison populations, evaluation of hearing loss prevention programs using, 14–15
  copper and zinc oxide exposures in foundries, particle size characterization, 422–430
  indoor air measurements, autocorrelation and variability in, 658–667
  indoor fungal levels and building materials, 896–899
  lead content in water, measurement of, anodic stripping voltammetry *vs.* standard EPA 239.2 method, 557–562
  lip lead measurements for lead exposure in battery assembly, 825–831
  lumber mills, dust, resin acids and monoterpene exposure in, 521–527
  magnetic field exposure in electric utility workers, within-day variability measurement strategies, 31–37
  magnetic field exposure summaries, work environment, utility, and sampling design impact on, 174–181
  mycobacterial contamination in metalworking fluids, 205–212
  nickel aerosol exposure, long-term trends in, 324–333
  passive *vs.* active monitoring, cost-effectiveness assessment, 64–68
  personal monitoring instruments, multiple organic vapor measurement, 192–203
  Spearman's rank correlation, aerosol sampling with, limitations of, 362–366
sawmills, particulates and bioaerosols, assessment of, 727–732
seasonal factors, airborne contaminants in swine buildings, maintenance, environmental, and seasonal factors, 56–62
sensitivity analysis, passive *vs.* active monitoring, cost-effectiveness assessment, 68
sensory thresholds, odor/sensory irritation thresholds in humans, evaluation of, 340–349
service reliability analysis, magnetic field threshold limit value analysis in electric utility work practices, 80–81
Seven-hole sampler, inhalable aerosol sampler evaluation, 506–516
sewage purification industry, hydrogen sulfide gas concentration, 107–109
sex-related work differences, comparison populations, evaluation of hearing loss prevention programs using, 14–15
shift sampling techniques
  aluminum smelting exposure monitoring, urinary fluoride levels, 89–94
  magnetic field exposure in electric utility workers, within-day variability measurement strategies, 34–37
  magnetic field threshold limit value analysis in electric utility work practices, 76–81
  occupational exposure limits (OELs) and unusual work schedules, 367–373
short-term exposure limits (STELs)
  firefighter exposures, characterization during fire overhaul, 636–641
  magnetic field exposure, within-day variability in electric utility workers, measurement strategies, 31–37
significant threshold shift (STS)
  comparison populations for evaluation of hearing loss prevention programs, 11–15
  time trends analysis of hearing loss prevention programs, 161–165
silane/siloxane, permeation through gloves and protective clothing, 709–713
skin adsorption
  aromatic amine permeation through protective gloves, 837–841
  solvents for pesticide removal, in vitro porcine models, 82–87
skin temperature, flooring, influence on standing comfort and fatigue, 705–708
skin uptake, pesticide exposure studies, rat models, 473–483
slipperiness evaluation, slip perception, evaluation of workers' sense of on slippery surfaces, 492–500
sludge treatment, hydrogen sulfide gas concentration, 107–109
smelting industry
  aluminum smelting exposure monitoring, urinary fluoride levels, 89–94
  flame-retardant ensembles for aluminum smelting, heat stress effects, 874–877
smoke generation
  air movement visualization techniques in workplace, 51–55
  firefighters, exposure monitoring during fire overhaul, 636–641
smoker tube, air movement visualization techniques in workplace, 51–55
soldering operations, aldehyde exposure from rosin core solder, 95–100
solid-sorbent air sampling (SSAS), volatile organic carbon in spacecraft air, microsorbent tube collection and, 69–74
solvents
  adsorption effects on Tedlar air sampling bags, reusability potential, 375–380
  exposure monitoring, literature review, 882–895
  personal monitoring instruments, multiple organic vapor measurement, 192–203
  portable photoionization detector for solvent exposure, field evaluation of, 268–274
  road construction, literature review of exposure monitoring of carcinogens, 715–725
  skin solvents for pesticide removal, in vitro porcine models, 82–87
  substitutions for trichloroethylene spot remover, study of, 431–437
  vinyl chloride monomer sampling, charcoal tube, temperature effects on, 405–409
sorbent materials
  carbon monoxide monitoring with zeolite sorbent and methanization-gas chromatography, 410–414
  microsorbent tubes, spacecraft air analysis using, 69–74
spacecraft environment, volatile organic carbon in spacecraft air, multisorbent tube collection, 69–74
Spearman's rank correlation, aerosol sampling with, limitations of, 362–366
spectral density estimation, infrared radiation exposure in traditional glass factories, 6–10
stack monitoring, effluent monitoring from air toxic control device, continuous nonmethane organic carbon analyzer, 16–21
standards development
  industrial response to OSHA regulatory constraints, 381–387
  NIOSH 7400, A and B counting rules, vitreous fiber exposure assessment, 454 (LTE)*
static biomechanical models, workplace risk factors, biomechanical/psychophysical research on low-back pain, 44–49
statistical analysis
  airborne contaminants in swine buildings, maintenance, environmental, and seasonal factors, 59–62
  aldehyde exposure at soldering temperatures, 95–100
  aluminum smelting exposure monitoring, urinary fluoride levels, 90–94
  chromium compound collection, PVC filters, reduction using, 563–567
  computer users' postures, workstation characteristics and, 223–230
  dead volume effects while wearing respirator, 678–683
  endotoxins in metalworking fluids (MWF), recovery and treatment, water-soluble fluids, 517–520
  indoor air measurements, autocorrelation and variability in, 658–667
  lead particle release in wall enclosures, 743–751
  lognormal parameter determination and minimal information, 878–881
  magnetic field exposure, impact of work environment, utility, and sampling design on, 174–181
  magnetic field exposure in electric utility workers, within-day variability measurement strategies, 33–37
  magnetic field threshold limit value analysis in electric utility work practices, 76–81
  Markov modeling techniques, indoor air contaminant concentrations, 484–489
  maximum acceptable weight (MAW) values, optimal lifting techniques based on, 642–647
  metalworking fluids (MWF), mist generation, machining centers, 26–29
  methylene chloride sampler stability analysis, 394–397
  nickel aerosol exposure, long-term trends in, 324–333
  polyurethane foam combustion products, aerosol generator construction and evaluation, 171–173
  skin solvents for pesticide removal, in vitro porcine models, 84–87
  Spearman's rank correlation of aerosol sampling, limitations of, 362–366
  telephone communications while wearing respirators, testing procedures, 264–267
  time trends analysis of hearing loss prevention programs, 161–165
  tuberculosis in health-care workers, risk regulation and assessment, 334–339
  urinary creatinine excretion for pesticide dose absorption, prediction models, 649–657
  viable microorganisms in air and bulk metalworking fluids, identification of, 788–797
strength demand assessments, workplace risk factors, biomechanical/psychophysical research on low-back pain, 41–49
study design
  air movement visualization techniques in workplace, 51–55
  aldehyde exposure at soldering temperatures, 95–100
  aluminum smelting exposure monitoring, urinary fluoride levels, 89–94
  case study principles, 106
  Chinese occupational health and safety policies and programs, 842–849
  chronic beryllium disease, exposure-induced sensitization, case-control studies, 244–253
  devices for airborne spore enumeration, performance evaluation, 856–864
  evaluation of hearing loss prevention program, comparison populations for, 11–15

methylene chloride sampler stability analysis, 394–397
passive *vs.* active monitoring, cost-effectiveness assessment, 64–68
pesticide absorption in rats, 473–483
Spearman's rank correlation of aerosol sampling, limitations of, 362–366
time trends analysis of hearing loss prevention programs, 161–165
styrene compounds, half-mask respirator performance evaluation, styrene environment, 415–421
sulfuric acid exposure, air movement visualization techniques in workplace, 51–55
surface-acoustic-wave (SAW) sensors, personal monitoring instruments, multiple organic vapor measurement, 192–203
surface property analysis
automated uniform surface deposition, dry particles, 669–677
lead-based paint, particle settlement after abatement work and clearance waiting period, 798–806
lead exposure studies, bridge construction workers, 815–818
slip perception, evaluation of workers' sense of on slippery surfaces, 492–500
swine buildings, airborne contaminants in, maintenance, environmental, and seasonal factors, 56–62

T

tank barges, Coast Guard tank barge inspections, exposure monitoring during, 866–874
task analysis
exertion and body discomfort perception during carpentry tasks, on-site evaluation, 685–691
hazardous waste management, household hazardous waste, health and safety guidelines for, 575–583
lead exposure studies, bridge construction workers, 815–818
lip lead measurements for lead exposure in battery assembly, 825–831
magnetic field threshold limit value analysis in electric utility work practices, 76–81
nickel aerosol exposure, long-term trends in, 324–333
workplace risk factors, biomechanical/psychophysical research on low-back pain, 47–49
Tedlar air sampling bags
adsorption effects on reusability potential, 375–380
methylene chloride sampler stability analysis, 394–397
telephones, telephone communications while wearing respirators, 264–267
temperature effects
aldehyde exposure at soldering temperatures, 95–100
effluent monitoring from air toxic control device, continuous nonmethane organic carbon analyzer, 20–21
lead particle release in wall enclosures, 743–751
vinyl chloride monomer sampling, temperature effects of, 405–409
Tenex-TA tubes, volatile organic carbon in spacecraft air, collection using, 69–74
testing protocols
lead content in water, measurement of, anodic stripping voltammetry *vs.* standard EPA 239.2 method, 557–562
slip perception, evaluation of workers' sense of on slippery surfaces, 492–500
telephone communications while wearing respirators, 264–267
textile industry, substitutions for trichloroethylene spot remover, study of, 431–437
thermal degradation, polyurethane foam combustion products, aerosol generator construction and evaluation, 166–173
thin-layer chromatography (TLC), aldehyde exposure at soldering temperatures, 95–100
threshold limit values (TLVs)
copper exposure and metal fume fever, 832–835
firefighter exposures, characterization during fire overhaul, 636–641
flame-retardant ensembles for aluminum smelting, heat stress effects, 874–877
magnetic field threshold limit value analysis in electric utility work practices, 76–81
occupational exposure limits (OELs) and unusual work schedules, 367–373
personal monitoring instruments, multiple organic vapor measurement, 195–203
polyurethane foam combustion products, aerosol generator construction and evaluation, 166–173
solvent exposure monitoring, literature review, 882–895
time series analysis, indoor air quality, autocorrelation and variability in, 658–667
time-weighted averaging (TWA)
dermal pesticide absorption in rats, 473–483
ketones, passive sampling in workplace environment, 808–813
magnetic field exposure in electric utility workers, within-day variability measurement strategies, 31–37
nitrous oxide exposure monitoring at dental facilities, 753–756
phosgene formation in welding atmospheres, 539–543
toluene diisocyanate (TDI), polyurethane foam combustion products, aerosol generator construction and evaluation, 166–173
tool speed, metalworking fluids (MWF), mist generation, machining centers, 26–29
total hydrocarbon (THC), benzene exposure, upstream petroleum oil and gas industry, total hydrocarbon exposures and, 255–263
township enterprises, Chinese occupational health and safety policies and programs, 842–849
training programs
back injury intervention for health care workers, efficacy of programs for, 290–294
workforce training needs assessment, labor perspective (editorial), 456–460
trichloroethylene (TCE), substitutions for, as spot remover, study of, 431–437
tuberculosis
Markov modeling of indoor air contaminants, 484–489
transmission in health-care workers, risk reduction strategies, 334–339
turbulent flow model, two-dimensional jet-enhanced exhaust hood, 183–191

U

uncertainty estimation
indoor air quality, autocorrelation and variability in, 658–667
magnetic field threshold limit value analysis in electric utility work practices, 77–81
respirator assigned protection factors, uncertainty analysis of, 388–393
uniform deposition, automated uniform surface deposition, dry particles, 669–677
uniform velocity blowing, breathing zone protection using, 568–574
unions, safety and health personnel training needs, labor perspective (editorial), 456–460
upper extremity injuries
computer users' postures, workstation characteristics and, 223–230
maximum acceptable weight (MAW) values, optimal lifting techniques based on, 642–647
workplace risk factors, biomechanical/psychophysical research upper extremity disorder risk factors, 231–243
urine monitoring
aluminum smelting exposure monitoring, fluoride levels, 89–94
urinary creatinine excretion for pesticide dose absorption, 649–657

V

validation procedures, passive *vs.* active monitoring, cost-effectiveness assessment, 64–68
vapor analysis techniques
ketones, passive sampling in workplace environment, 808–813
personal monitoring instruments, multiple organic vapor measurement, 192–203
phosgene formation in welding atmospheres, 539–543
variability in data, indoor air measurements, autocorrelation and variability in, 658–667
variance components
magnetic field exposure, impact of work environment, utility, and sampling design on, 178–181
magnetic field exposure in electric utility workers, within-day variability measurement strategies, 31–37
ventilation systems
epidemiological review of Legionnaires' disease, 738–742
indoor air measurements, autocorrelation and variability in, 658–667
trichloroethylene exposure in textile industry and, 431–437
two-dimensional jet-enhanced exhaust hood, potential and turbulent flow models, 183–191
uniform velocity blowing, breathing zone protection using, 568–574
video display terminals (VDTs), computer users' postures, workstation characteristics and, 223–230
vinyl chloride monomers, temperature effects on sampling of, 405–409
vitreous fibers (synthetic), NIOSH 7400, A and B counting rules, exposure assessment, 454 (LTE)*
volatile organic carbons (VOCs)
dermal pesticide absorption in rats, 473–483
effluent monitoring from air toxic control device, continuous nonmethane organic carbon analyzer, 16–21
hazardous waste management, household hazardous waste, health and safety guidelines for, 575–583
multisorbent tubes for collection in spacecraft air, 69–74
voltammetry, lead content in water, measurement of, anodic stripping voltammetry *vs.* standard EPA 239.2 method, 557–562

W

wall enclosures
indoor fungal levels and building materials, 896–899
lead particle release in, 743–751
waterborne contaminants, mycobacterial contamination in metalworking fluids, 205–212
water extraction techniques, endotoxins in metalworking fluids (MWF), recovery and treatment, water-soluble fluids, 517–520
water pollution monitoring
epidemiological review of Legionnaires' disease, 738–742
lead content measurement, anodic stripping voltammetry *vs.* standard EPA 239.2 method, 557–562
water reactive materials, silane/siloxane permeation through gloves and protective clothing, 709–713
welding procedures
brazing operation aerosol emissions, mechanistic analysis, 351–361
phosgene formation in chlorinated hydrocarbon-laden atmosphere, 539–543
wet-bulb globe temperature (WBGT), flame-retardant ensembles for aluminum smelting, heat stress effects, 874–877
Wheeler-Jonas model

humidity effects on overall mass transfer coefficient, 461–468
mass transfer coefficient estimation, models for, 501–505
wind effects, lead particle release in wall enclosures, 743–751
wind tunnel evaluation, button personal inhalable aerosol sampler performance characteristics, 398–404
wipe test, skin solvents for pesticide removal, in vitro porcine models, 82–87
within-day variability, magnetic field exposure in electric utility workers, measurement strategies, 31–37
wood processing
lumber mills, dust, resin acids and monoterpene exposure in, 521–527
sawmill particulates and bioaerosols, assessment of, 727–732
work injuries, fatal construction industry injuries in China, 733–736
workplace environment
air movement visualization techniques in, 51–55
aluminum smelting exposure monitoring, urinary fluoride levels, 89–94
chronic beryllium disease, exposure-induced sensitization, 244–253
copper exposure and metal fume fever, 834–835
flooring, influence on standing comfort and fatigue, 700–708
half-mask respirator performance evaluation, styrene environment, 415–421
ketones, passive sampling in workplace environment, 808–813
magnetic field exposure summaries, impact on, 174–181
magnetic field threshold limit value analysis in electric utility work practices, 76–81
musculoskeletal disorders, low-back pain risk factors, 39–49
nickel aerosol exposure, long-term trends in, 324–333
occupational exposure limits (OELs) and unusual work schedules, 367–373
safety and health personnel training needs, labor perspective (editorial), 456–460
workplace risk factors, biomechanical/psychophysical research upper extremity disorder risk factors, 231–243
workplace protection factors (WPFs)
half-mask respirator performance evaluation, styrene environment, 415–421
respirator assigned protection factors, uncertainty analysis of, 388–393
work postures
computer users' postures, workstation characteristics and, 223–230
slip perception, evaluation of workers' sense of on slippery surfaces, 492–500

Z

zeolite sorbents, carbon monoxide monitoring with zeolite sorbent and methanization-gas chromatography, 410–414
zinc oxide exposure, copper and zinc oxide exposures in foundries, particle size characterization, 422–430

Request for Proposals

The *AIHAJ* is seeking proposals for the establishment of a continuing education project that would use articles published in the *AIHAJ*. A series of questions would be developed based on information presented in these articles. Members would submit answers to these questions for scoring. Members would pay a fee for this service, receive written responses containing their scores and the correct answers to these questions. It is expected that ABIH certification maintenance points would be awarded based on the level of activity involved.

We seek specific proposals that would outline how you anticipate implementing this project, the time frame for beginning the project, the costs involved, and your qualifications to both develop these questions and grade them (please do not send curriculum vitae, but rather a one-page summary of your education, experience, and professional certifications). Please send your proposals to:

Howard Cohen, PhD, CIH
AIHAJ
P.O. Box 365
Guilford, CT 06437